SHOUT
SHARE
IT

Pflanzen-Sammlung

des

Leichtlin'schen Gartens

in

Baden-Baden.

1873.

Karlsruhe.

Druck der G. Braun'schen Hofbuchdruckerei.

1873.

Briefe an den Inhaber des Gartens **Max Leichtlin** in Karlsruhe (Baden) zu richten.

MISSOURI BOTANICAL
GARDEN LIBRARY

Acer Ginnala.
Adamsia scilloides Willd.
Aethionema grandiflorum Kotschy.
Agapanthus umbellatus major.
„ „ maximus.
Agave filifera.
„ lophanta.
„ Salmiana.
„ striata.
Ajuga pyramidalis L.
Allium Schuberti Zucc.
„ sphaerocephalum.
„ Wallichianum.
Amaryllis pardina Hook. fil.
„ Belladonna var. rosea perfecta.
„ „ spectabilis bicolor.
„ „ speciosa purpurea.
Ammolirion Stevenii Kar. & Kir.
Amorphophallus Rivierii DR.
Anemone japonica.
„ „ alba.
„ palmata.
„ vernalis.
Anemonopsis japonica.
„ „ macrophylla.
Anthericum trichiopetalum.
Arthropodium laxum.

Arum crinitum.
„ species Idaho.
„ „ Turkestan.
„ spectabile Schott.
Asarum albivenium Rgl.
„ intermedium.
„ Thunbergii.
Aspidium fragrans.
Aster peregrinus.

Blandfordia aurea Hook. fil.
Brodiaea coccinea A. Gray.
„ congesta Smith.
„ multiflora Benth.
Bulbocodium soboliferum.
„ species Punjaub.
Bulbi non descripti
Nr. 264. 265. 270. 271. 275. 277. 281. 285. 461. 477. 526—529. 539—543. 568. 626—633. 635.

Calceolaria violacea.
Callipsyche mirabilis.
Calochortus elegans Pursh.
„ „ var. luteus.
„ Leichtlinii Hook. fil.
„ macrocarpus Dougl.
Camassia esculenta atrocoerulea.
„ „ alba gigantea.
Camellia reticulata fl. pleno.
Campanula Trachelium L. fl. albo pleno.
Candollea candidissima.

Caragana jubata.
Carlina acanthifolia All.
Cheiranthus Delahayanus.
,, longifolius Vent.
,, mutabilis Ait.
Cineraria argentea.
Claytonia spec.
Colchicum autumnale violaceum.
,, Bivonae Guss.
,, maculatum.
,, persicum.
,, species, Chana. Purdie.
,, Stevenii.
,, variegatum L.
Cooperia Drummondii Herb.
Corydalis angustifolia.
Crocus iridiflorus Heuff.
,, stellaris Haw.
Cummingia trimaculata Don.
Cyclamen cyprium Kotschy.
,, ibericum Stev.
,, persicum var.
Cyrthanthus collinus Burch.
,, longiflorus.
Cystopteris montana Link.

Daphne Cneorum L. maximum.
,, indica L. elegantissima.
,, rupestris.
Delphinium species Baikal.
Dianthus alpinus L. fl. pleno.
Diposis bulbocastanum D.C.

Dodecatheon Jeffreyi.
Dorema assafoetida.
Dracocephalum fragile.
„ grandiflorum L.

Epilobium obcordatum.
Erythronium giganteum Lindl.
„ Nuttallianum Roem. & Schult.
„ species 425.
Eucomis species 562.
Eugenia Ugni Hook. & Arn.
„ „ var.
Eurya latifolia fol. var.
Euryangium Sumbul Kauffm.
Eurybia ramulosa.
Evonymus Maakii.

Ferraria spec. Novara.
Fraxinus mandschuricus.
Fremontia californica Torrey.
Fritillaria aurea Schott.
„ lutea M. B.
„ „ var. glaucescens Wild.
„ meleagris grandiflora.
„ messanensis Raf.
„ pallidiflora Schrk.
„ „ pluriflora Semenz.
„ persica.
„ praecox K. Koch.
„ pudica Spreng.
„ recurva Benth.
„ ruthenica Wickst.

Fritillaria species 333. 342. 531. 657.
„ tricolor.
„ verticillata Willd.

Galanthus nivalis L.
„ „ Redoutei (non plicatus).
„ „ plicatus.
Gastronema sanguineum Lindl.
„ „ flammeum.
Gaultheria spec. Andes.
Gladiolus cruentus Moore.
„ gandavensis hybr.
„ purpureo-auratus Hook. fil.
„ Saundersii Hook. fil.

Habranthus Andersoni Herb.
„ texanum.
„ species.
Helleborus niger grandiflorus.
„ species fol. varieg.
Hemingia Olgae Rgl.
„ robusta Rgl.
Hepatica angulosa D. C.
„ triloba var.
Heterotropra asaroides Morr & Dec.
„ „ macrophylla.
Hyazinthus candicans Baker.
Hydrocotyle sibthorpioides.
Hymenocallis angustum.

Iberis gibraltarica L.
„ jucunda Schott.
Idesia polycarpa.

Iris amoena Red.
„ aurea Lindl.
„ Bloudowii Ledeb.
„ cuprea.
„ desertorum Balb.
„ foetidissima fol. var.
„ formosa.
„ Heylandiana Boiss & Reut.
„ iberica Hoff.
„ Junonia Schott.
„ japonica var. Colonia.
„ „ „ Leona.
„ „ „ Lutetia.
„ „ „ Psyche.
„ Kaempferi (setosa ? Pall.) Alex. v. Siebold.
„ „ „ Blumei.
„ „ „ De Vriese.
„ „ „ Duchesse de Belcourt.
„ „ „ E. M. Arndt.
„ „ „ Krelagei.
„ „ „ Mad. Helene v. Siebold.
„ „ „ Reinwardtii.
„ „ „ Souvenir.
„ laevigata Fisch.
„ nepalensis Don.
„ nudicaulis Lam.
„ Saarii.
„ Susiana L.
„ Swertii Lam.
„ species Maw 5.
„ „ 451—460. 517—519. 530. 531. 564.
„ tectorum Maxim.

Iris tenax Dougl.
„ tomiolopha Hance.
„ venusta.
„ violacea Klatt.
„ Wittmanniana.
Ixia viridiflora.

Kniphofia praecox Baker.

Lachenalia quadricolor.
„ tricolor var. aurea.
Lapageria rosea Ruiz & Pav.
Leucocoryne ixioides Lindl.
Leucoyum aestivum L.
„ hyemale.
„ praecox.
„ vernum L.
Lewisia rediviva.
Ligustrina amurensis Rupr.
Lilium auratum Lindl.
„ „ major.
„ „ rubro-vittatum.
„ bulbiferum formosum.
„ Buschianum Lodd.
„ californicum Hort.
„ callosum Sieb. & Zucc.
„ canadense L.
„ „ Walkeri.
„ candidum L.
„ „ Baumanni.
„ „ splendens.
„ chalcedonicum L.
„ „ major.

Lilium columbianum Hort. Leichtl.
,, concolor Salisb.
,, ,, angustifolium.
,, Coridion Sieb.
,, croceum Fuchs.
,, ,, fl. saturato.
,, dauricum hybr.
,, eximeum Curt.
,, formosum Hort. Versch.
,, giganteum Wall.
,, Hansonii Hort. Leichtl.
,, Jeffersoni.
,, Leichtlinii Hook.
,, ,, major.
,, lilacinum.
,, Martagon album.
,, ,, rubro-punctatum.
,, ,, atropurpureum punctatum.
,, ,, atroviolaceum striatum.
,, ,, Catanii Vis.
,, ,, dalmaticum Màly.
,, ,, ,, roseum Hort. Leichtl.
,, ,, fl. pleno.
,, ,, maculatum splendens.
,, ,, ,, ,, hybr. alb.
,, ,, pallidum.
,, ,, ,, punctatum.
,, ,, punctatum elegans.
,, ,, ,, plenum.
,, ,, ,, puserbum.
,, ,, purpureum.
,, ,, ,, striatum.

Lilium Martagon roseum Allen.
" " striatum punctatum.
" " " " grandiflorum.
" " superbum.
" " species e Japonia.
" Maximowiczii Rgl.
" " forma tigrina.
" Michauxii Poir.
" monadelphum Bieb.
" neilgherrense Wight.
" pardalinum Kellog.
" parvum Kellog.
" peregrinum Mill.
" philadelphicum andinum Hook.
" polyphyllum Royle.
" ponticum Koch.
" puberulum Torr.
" pumilum Red.
" punctatissimum.
" pseudo-tigrinum Carr.
" pygmaeum.
" sinicum Lindl.
" speciosum Thbg.
" superbum elegans.
" " luteum grandiflorum.
" " pyramidale.
" " sanguineum.
" Szovitsianum Fisch.
" " 227. 228.
" " punctatissimum.
" tenuifolium Fisch.
" Thomsonianum Lindl.

Lilium tigrinum fl. pleno.
„ „ splendens.
„ „ forma nova.
„ Thunbergianum formosissimum.
„ „ Leichtlinii (14).
„ „ var. 160. 165. 336.
„ tricolor.
„ Wallichianum 1 Roem. & Schult.
„ „ 2.
„ Wilsonii Hort.
„ Washingtonianum Wood.
„ species e Japonia et California.
Nr. 18. 24. 131. 201. 213. 214. 217. 280. 341. 449. 523. 598. 599.
Littonia modesta Hook. fil.
Lychnis alpina.
„ coronata Thnbg.
Massonia odorata Hook. fil.
Milla capitata Baker.
„ laxa Baker.
„ porrifolia Baker.
„ uniflora Graham var. coerulescens.
„ „ „ „ conspicua.
Narthex assafoetida.
Neillia thyrsiflora.
Nemastylis geminiflora Nutt.
Nerine coruscans major.
„ curvifolia.
„ flexuosa.
„ Fothergillii.
„ „ major.

Nerine humilis Herb.
„ Plantii.
„ pudica Hook. fil.
„ sarniensis.
„ venusta.
Nerium Oleander Madoni grandiflorum.
Nertera depressa Banks & Sol.
Nothoscordum flavescens.

Omphalodes Luciliae Boiss.
„ verna Moench.
Opuntia species.
Ornithogalum acuminatum.
„ capitatum Hook.
„ chloroleucum.
„ prasinum.
Oxalis species.
Oxytropis microphylla.

Paeonia Moutan var.
„ tenuifolia fl. pleno.
Paradisia Liliastrum.
Paranephelius uniflorus Poepp & Endl.
Parochaetus communis Hamilt.
Phormium tenax fol. var.
Pelargonium glauciifolium Sweet.
„ betulinum Ait.
Polygala Balansae.
„ grandiflora major.
Primula acaulis Jacq. amarantina plena.
„ „ „ Arthur de Smet.
„ „ „ chromatella rubro-cincta.

Primula acaulis Jacq. citrina violacea plena.
" " " lilacina plena.
" " " nigra plena.
" " " sulfurea plena.
" auricula alba grandiflora.
" " nigra plena.
" cortusoides grandiflora.
" " " lilacina.
" decora.
" elatior Jacq. coerulea.
" Fortunei.
" japonica Asa Gray.
" intermedia Hort. angl.
" nivalis.
" Palinuri Petagna.
" purpurea Royle.
" scotica.
" viscosa All. major.
" vulgaris Sm. rubra Sibth.

Ramondia pyrenaica L. C. Rich.
Rheum palmatum L.
Rhododendron Countess of Haddington.
Rigidella flammea Lindl.
" immaculata Herb.
" orthantha Ch. Lem.
Rochea falcata DC.
" " major.
" " minor.
" perfoliata.
" species fl. albo.
Rosa berberifolia Hardii.

Ruta albiflora.

Sandersonia aurantiaca Hook. fil.
Saxifraga florulenta.
„ Guthricana varieg.
„ Maweana.
„ Willkommiana.
Scilla gigantea.
Sedum ibericum.
Sparaxis pulcherrima Hook.
„ Thubertii.
Spiraea palmata Thbg.
Strumaria gemmata Gawl.
Symea gilliesioides.

Tecophylaea cyanocrocus.
Tigridia Van Houttei.
Trifolium uniflorum L.
Trillium poecile.
„ discolor Wray.
Triteleia juncea.
„ liliacea Gawl.
Tritoma grandis.
„ Uvaria glaucescens.
„ „ grandiflora.
„ „ varietas Kewensis.
Trollius aureus.
Tropaeolum albiflorum.
„ azureum Wiers.
„ polyphyllum Cav.
„ „ gracile.
„ tricolorum Sweet grandiflorum.

Tropaeolum tricolorum varietas.
Tulipa Biebersteiniana.
,, biflora L.
,, tricolor Ledeb.

Umbilicus sempervivum D. C.
Urceolina pendula Herb.
Uropetalum serotinum Ker.

Veratrum Maakii.
,, species 405.
Veronica Guthrieana.
,, pinguifolia.
,, spicata L. corymbosa.

Xanthorrhoea hastilis R. Br.
Xiphion caucasicum.
.. filifolium Klatt.
,, (Iris) fumosum Boiss.
,, junceum Klatt.
,, latifolium Mill. var. violaceum.
,, lusitanicum Ahlcf.
,, reticulatum Klatt.
,, tingitanum Baker.

Zephyranthes species 371.

Pflanzen-Sammlung

des

Leichtlin'schen Gartens

in

Baden-Baden.

1874.

Karlsruhe.
Druck der G. Braun'schen Hofbuchdruckerei.
1874.

Briefe an den Inhaber des Gartens **Max Leichtlin** in Karlsruhe (Baden) zu richten.

Bäume und Gesträuche.

Abies concolor

~~Abelia floribunda.~~

Acacia Veitchii

Acer tataricum Ginnala.

Amygdalus mandschuricus.

Aralia cordata

Aralia spec. Japan

Calycanthus praecox

" grandiflorus

Candollea candidissima.

Caragana jubata.

Ceanothus Veitchianus.

~~Corylus mandschurica.~~

velutinus

Cercocarpus ledifolius

Crataegus pinnatifida Bnge.

Cytisus nubigenus.

" crenatus

Daphne ~~indica L.~~ Blagayana

~~elegantissima.~~

" Mazeli.

" Laureola

" Mezereum

" rupestris.

" ~~Sophiae~~

~~Fort. Hookeri.~~

Embothrium coccineum

Deutzia parviflora

Evonymus ~~Maackii~~. alatus fol. var.

Fraxinus mandschuricus.

Fremontia californica Torrey.

Berya elliptica

Semiota actinophylla

Idesia polycarpa.

Jasminum nudiflorum

Ligustrina amurensis Rupr.

officinale

Maakia amurensis.

Maximowiczia chinensis Rupr.

Prunus Simonii

Prunus Maulei

~~Neillia thyrsiflora.~~

Parrotia persica C. A. Mey.

Quercus spec. Japan

Rhus spec. Japan

" 2

Phellodendron amurensis.

Rhododendron chrysanthum.
" dauricum L.
" hybr. Countess of Haddington.
" parvifolium.
Rosa berberifolia Hardii.

Stauden.

Aconitum Anthora L.
Actinella [illegible] grandiflora
Aethionema grandiflorum Boiss.
Alopecurus lanatus.
Anchusa [illegible]
Anemone Hepatica [illegible]
" " angulosa Lam.
" " Barlowi.
" " triloba alba.
" " [illegible] fl. pleno.
" " " coerulea.
" " " " fl. pleno.
" " " elegans.
" " " lilacina maxima.
" " " rubra.
" " " " fl. pleno.
" japonia alba.
" " elegans.
" palmata fl. albo.
" " fl. luteo.
" vernalis.
Anemonopsis japonica.
Apios tuberosa.
Aquilegia chrysantha A. Gray.

Aquilegia glandulosa.

" " var.

species Colorado.

Arethusa bulbosa

Aristolochia contorta.

Arnebia echioides.

Asarum ~~albivenium Rgl.~~

" ~~intermedium~~.

" Thunbergii.

Asphodelus ~~coraciferus~~.

" ~~Tamosus~~.

" spec: nov: Olymp.

~~Aspidium fragrans~~.

Aster formosissimus.

" longifolius formosus.

" peregrinus Pursh.

~~Asteriscus luteus~~

~~Asterocephalus caucasicus~~

Aubrietia Campbelliae.

" columnae coelestis.

" tauricola Kotschy.

Campanula laciniata.

" ~~Trachelium fl. albo plen~~o.

" ~~Sartor~~ii.

~~Carlina acanthifolia~~ All.

~~involucrata~~ Poir.

~~superba~~

Celsia betonicaefolia.

Chaetanthera ~~sibirica~~ Gaud.

Chaetochilus Cervantesii

~~glabrata~~.

Delphinium grandiflorum L.

Argemone hispida

Arundinaria falcata

Asclepias speciosa

Astragalus " lutea

Astragalus " Thunbergii

Astragalus Jodanthus

Astragalus lutea-virens

Astragalus Tamosus

Astragalus spec. Olymp.

Mad. Soyauxii

Nov. anglia fl. rubr. viol.

Mad. Soyauxii

Nov. anglia fl. rubr. viol.

Betula alba var. orientalis forma intermedia

Betula " " " "

Betula " " " "

Betula " " " "

Delphinium nudicaule Torr & Gr.

~~elatum.~~ Ajolies Ragusa

" triste.

Dianthus ~~alpinus fl. pleno~~. barbatus magnificus

Dicentra ~~spectabilis~~ multiflorus

Dictamnus augustifolius.

" Fraxinella Pers. var. Di

" ~~fl. albo.~~ gitalis ~~laevigata~~

Dodecatheon Jeffreyi. Diplacus Parryi

Diplacus grandiflora Dolomiea lucida.

~~Dorema ammoniacum~~ Dra

~~Draba violacea D.C.~~ Draba spec. Pancorbo

Dracocephalum altaicum.

" ~~fragile.~~

" grandiflorum L. Dregeanthus Talmatic DC

" ~~palmatum.~~ " caricinus Schott

" Regeli " Fitzbeli DC

" Semibe DC

Epilobium obcordatum.

Eremurus Olgae Rgl.

" robustus Rgl.

" ~~spec. nov. 965~~. Kaufmanni

" ~~spectabilis~~. Korolkowi

" ~~tauricola.~~

Erigeron ~~asteroides~~.

" glaucum. speciosum pallidum

Erimus alpinus albus.

Eriogonum spec. ~~818. 819. 820.~~ umbellatum 3 var.

Eryngium aquifolium. umbellatum

Euryangium Sumbul Kaufm. eburneum

Euphorbia corollata Lasiauxii

Falkia repens. pandanifolium

Ferula conspicua. platyphyllum

Galax aphylla.

~~Glossocomia lanceolata~~.

Gymnium argenteum

carmineum Bendatlei

Helleborus niger maximus.

spec. fol. var.

Hesperis matronalis fl. albo pleno.

" " " ~~coerulea~~ pleno.

" " " ~~french white.~~

" " " rubro pleno.

" " " violaceo pleno.

Heterotropa asaroides Morr & Dec.

" " macrophylla.

~~Hylomecon vernalis~~ Maxim.

Houttuynia repens.

Hydrocotyle sibthorpioides.

Hydrophyllum ~~canadense~~ L.

Iberis carnosa.

" gibraltarica L.

" jucunda Schott.

Iris aurea Lindl.

" aurea Link.

" Bloudowii.

" cuprea.

" desertorum Balb.

" foetidissima fol. var.

" japonica? var. ~~Colonia~~.

" " " ~~Leona~~.

" " " ~~Izutotia~~.

" " " ~~Peyche~~.

" Junonia Schott.

" laevigata Fisch. syn. violacea Klatt.

" Monnieri D. C.

" nepalensis Wall.

" sanguinea setosa Pall. var.

Iris setosa Pall. var. Blumei.
" " " " Duchesse de Belcourt.
" " " " E. G. Henderson.
" " " " E. M. Arndt.
" " " " Henri von Siebold.
" " " " Krelagei.
" " " " Mad. Helene von Siebold.
" " " " Reine des Pays-bas.
" " " " Reinwardtii.
" " " " Souvenir.
" spectabilis D. C.
" subbiflora Brotero.
" tectorum Maxim.
" tenax Dougl.
" tomiolopha Hance.
" species 517—519. 966.
Kniphofia aloides Moench.
" " glaucescens.
" " grandiflora.
" " grandis.
" " ~~kewensis~~.
" Burchellii.
" Mac Owanii.
" praecox.
" species Abyssinia.
~~Listrio spec.~~
Linarja ~~spec. climbing~~.
~~Lobelia palmita coccinea plena~~
Lychnis alpina.

chalcedonica fl. pl. Milleri

Lychnis ~~coronata~~ Thbg.

.. flos cuculi fl. albo pleno. fulgens fl. 2. pleno

.. ~~Compi~~. alba

.. speciosa cinnabarina

.. miniata.

~~Lysimachia barystachys~~. varia fl. pl. splendens fl. pl.

Malva campanulata.

Mandragora vernalis.

Medicago marina. officinalis

Meconopsis aculeata Royle. Michauxia Mitchella virginica

Mitchauxia scandens Monarda didyma Mentzelia nuda ornata

Narthex assafoetida. Molina longifolia

Nertera depressa Banks & Sol.

~~? species India.~~

Omphalodes Luciliae Boiss. longipes

.. verna Moench.

Ophiopogon species. Onosma taurica

Opuntia ~~species~~. Missouriensis leucospina DC.

Oreocome Candollei. humilis

Orchis spectabilis Oxytropus angustifolius bracteata Engelm.

Paeonia tenuifolia fl. pl.

Papaver alpinum. insignis spec. Japan Montenegro

.. .. var. aurantiacum. Montan var.

.. nudicaule.

.. .. var. aurantiacum.

Paranephelius uniflorus Poepp & Endl.

Patersonia sericea.

Pentstemon Palmeri A. Gray. Lobbi

.. grandiflorum. glandulosum cyananthus Brandyg

Phlox setacea var. violacea. variatus

Phygelius capensis. spectabilis

~~Plumbago capensis~~

Platycodon autumnale fl. alb. pl.

.. grandiflorum fl. alb. pl.

Poa australis.
Polemonium Richardsoni fl. albo.
Polygala grandiflora ~~major~~.
Polygonatum oppositifolium.
Polygonum vacciniifolium.
Potentilla ~~nitidensis~~
Potentilla splendens.
Primula acaulis Jacq. amarantina plena.
" " ~~Arthur de Smet~~.
" " chromatella rubro-cincta.
" " ~~citrina violacea plena~~.
" " Deans crimson.
" " ~~lilacina plena~~.
" " ~~nigra plena~~.
" " rubra plena.
" ~~auricula alba grandiflora~~.
" cortusoides grandiflora.
" " lilacina.
" " rosalba.
" elatior Jaq. coerulea.
" ~~japonica A. Gray~~.
" intermedia Hort. Angl.
" ~~lutea Rupr.~~
" ~~purpurea Royle~~.
" vulgaris Sm. var. rubra.
Pulsatilla ~~sinensis~~.
~~Ranunculus pyrenaica. Rich~~.
Reaumuria hypericoides.
Rheum palmatum L.
~~Rutæ albiflora~~.
Salvia taraxicifolia.

Saxifraga ~~arctioides Lap.~~

,, atropurpurea. Strnb.

,, Guthrieana varieg.

,, Maweana.

,, purpurasceus. Hook. fil.

,, Willkommiana.

,, ~~——————~~ var.

Sedum brevifolium.

,, ~~cyaneum.~~

,, dasyphyllum.

,, ~~glandulosum.~~

,, ibericum.

,, roseum.

,, Wallichianum.

Silene ~~primulaeflora.~~

,, ~~maritima fl. pleno.~~

,, Triwaldskyana.

Solanum rubetorum.

Spiraea ~~palmata.~~

Spraguea umbellata.

Trifolium uniflorum.

Trillium discolor Wray.

,, poecile.

Trollius ~~americanus.~~

,, aureus.

,, ~~biandus.~~

,, ~~giganteus.~~

,, ~~napelliformis.~~

,, ~~——————~~

Umbilicus ~~chamaëticus.~~

,, sempervivum DC.

Veratrum Maakii.
„ species 405.
Verbascum bugulaefolium.
Veronica Guthrieana.
„ Hulkeana F. Müll.
„ pinguifolia.
„ rupestris.
„ spicata L. corymbosa.
Vesicaria utriculariaeides.
Viola delphinifolia.
Vittadenia triloba Gaud.

Yucca angustifolia.
Zygadenus ~~canadensis~~.
„ ~~chloranthus~~.
„ ~~elegans~~.

Zwiebel- & Knollengewächse.

Acidanthera bicolor Hochst.
Allium ~~monadelphum~~.
„ ~~sphaerocephalum~~.
„ ~~Wallichianum~~.
„ species Sikkim 889. 891.
„ white California.
Amaryllis Belladonna var. rosea perfecta.
„ „ „ spectabilis bicolor.
„ „ „ speciosa purpurea.
„ ~~pardina Hook fil.~~
Amorphophallus Rivierii Dr.
Anthericum trichiopetalum.
~~Arthropodium laxum~~.

Arum crinitum.
„ spectabile Schott.
„ species Idaho.
„ „ „ Turkestan.

Bomarea species 1019.

Brodiaea coccinea A. Gray.
„ multiflora Benth.
Bulbocodium soboliferum.
„ spec. Punjaub.
„ „ Sikkim.
Bulbi non descripti ~~264.~~ ~~265.~~ ~~270.~~ ~~271.~~ ~~275.~~ ~~277.~~ ~~281.~~ ~~285.~~ ~~401.~~ ~~477.~~ ~~526~~ ~~529.~~ 539 ~~542~~ ~~568.~~ 627 ~~[illegible]~~ ~~625.~~ ~~962.~~ ~~964.~~ ~~1008.~~ ~~1010.~~ ~~1013.~~ ~~1051.~~ ~~1052.~~ ~~1149.~~ 1244, 1248. 1264. 1265. 1266. 1247. 1274. 1301 – 1305. 1309 – 1312
Camassia esculenta atrocoerulea
Colchicum autumnale violaceum.
„ Bivonae Guss.
„ maculatum.
„ persicum.
„ speciosum.
„ Stevenii.
„ variegatum L.
„ species Chana Purdie.
Cooperia Drummondii Herb.
Crocus ~~iridiflorus~~ Heuff.
„ ~~major~~.
„ speciosus M. B.
„ stellaris Haw.
Cummingia trimaculata Don.
Cyclamen cilicicum Boiss.

Cyclamen cyprium Kotschy.
„ ibericum Stev.
„ persicum var.
~~Cyrthanthus collinus.~~ Cyrtella Herbertii
" new spec 1162
„ ~~longiflorus.~~
Cyrthanthus Mac Owanii
Diposis bulbocastanum D.C.

Eranthis hyemalis.
„ sibirica.
Erythronium giganteum Lindl.
„ roseum.
„ ~~grandiflorum.~~
„ Nuttalianum Roem. & Sch.
„ ~~species 125. 345.~~
new species 472.
Ferraria spec. „Novara".
Freesia Leichtliniana F. W. Klatt.
Fritillaria aurea Schott.
delphinensis Forbesi Baker
a lutea
„ lutea M. B.
„ „ var. glaucescens Wild.
„ meleagris L. grandiflora.
„ messanensis Raf.
„ nervosa.
„ pallidiflora Schrk.
„ „ „ pluriflora. Sem.
„ praecox C. Koch.
„ recurva Benth.
„ ruthenica Wickst.
„ tricolor.
„ verticillata Willd.
„ species ~~330.~~ 342. ~~531.~~ ~~657.~~ 753. ~~842.~~
a Indica
a Asia minor
tenella
tristis

Galanthus Imperati.
Gastronema sanguineum Lindl.
" " flammeum.
Gladiolus cruentus Moore.
" dichotomus.
" gandavensis hybr.
" maculatus.
" purpureo-auratus Hook. fil.
" Saundersii Hook. fil.
" species 712. ~~859—866.~~ 915.
" " Mexico 714.

Habranthus Andersonii Herb.
Haemanthus carneus.
Hesperantha falcata.
Homeria aurantiaca.
Hyazinthus candicans Baker.
Iris acutiloba.
" ~~Heylandiana~~ Boiss & Reut.
" iberica Hoff.
" " var. Perryana.
" Saarii Schott.
" Susiana L.
" species ~~1002.~~ 1270.

Lachenalia quadricolor.
" tricolor var. aurea.
Leucocorype ixioides Lindl.
Leucoyum ~~aestivum~~ L.
" hyemale.
" vernum L.

Lilium albanum Grieseb.
„ auratum Lindl.
„ „ rubro-vittatum.
„ bulbiferum formosum.
„ Buschianum Lodd.
„ callosum Sieb. & Zucc.
„ canadense L.
„ „ parviflorum.
„ candidum L.
„ „ var. maculatum.
„ „ speciosum.
„ chalcedonicum L.
„ „ major.
„ columbianum Hort Leichtl.
„ concolor Salisb.
„ Coridion Sieb.
„ croceum Fuchs.
„ davuricum Nr. 945.
„ hybr.
„ Elisabethae
„ eximeum Court.
„ formosum Hort. Versch.
„ Fortunei.
„ giganteum Wall.
„ Hansonianum Hort. Leichtl.
„ Humboldtii Duchartre.
„ Jeffersoni.
„ Leichtlinii Hook. fil.
„ „ major.
„ lilacinum.
„ Martagon album.
„ „ ~~flavo-rubro-punctatum.~~
„ „ Catanii Vis.

Lilium Martagon dalmaticum Maly.

" " " roseum H. L.

" " maculatum.

" " " splendens.

" " " " hybr. alb.

" " ~~pallidum punctatum.~~

" " ~~punctatum elegans.~~

" " purpureum.

" " e Japonia.

" " Nr. 984.

" Maximowiczii Rgl.

" Michauxianum Poir.

" pardalinum Kellog.

" Partheneyon Sieb & De V.

" parvum Kellog.

" peregrinum Mill.

" polyphyllum Royle.

" ponticum C. Koch.

" pseudo-tigrinum Carr.

" puberulum.

" ~~punctatissimum.~~

" ~~purpureum.~~

" ~~pygmaeum.~~

" sinicum Lindl.

" speciosum album.

" " punctatum.

" " rubrum.

" " Melpomene.

" superbum ~~elegans.~~

" " ~~luteum grandiflorum.~~

" " pyramidale.

" " ~~sanguineum.~~

Lilium Szovitsianum Fisch.
" " punctatissimum.
" tenuifolium Fisch.
" " var. puniceum.
" Thomsonianum Lindl.
" tigrinum fl. pleno.
" " forma nova.
" " splendens.
" Thunbergianum formosissimum.
" " Leichtlinii.
" " var. 160. 165. 336. 660.
" tricolor.
" Wallichianum 1.
" " 2.
" " 3. 944. 1163.
" Washingtonianum Wood.
" Wilsonii Hort.
" spec. Japonia & Cal. ~~18.~~ ~~24.~~ ~~131.~~ ~~201.~~ ~~213.~~
~~214.~~ ~~217.~~ ~~280.~~ 316 ~~440.~~ ~~529.~~ 598. 599. 705.
760. ~~892.~~ ~~1006.~~ 1007. 1011. 1013. 1048.
~~Liparis resupinata.~~
~~Lithantha pusilla.~~
Littonia modesta Hook. fil.

Massonia odorata Hook. fil.
Milla capitata Baker.
" laxa Baker.
" ~~porrifolia Baker.~~
" uniflora Graham var. coerulescens.
" " " conspicua.
Narcissus Ajax florifolius maximus „Emperor".

Narcissus Ajax bicolor maximus „Empress".
„ Bulbocodium.
„ conspicuus princeps.
„ Emodi.
„ species 914.
Nectaroscordum bulgaricum Janka.
Nemastylis geminiflora Nutt.
Nerine coruscans major.
„ curvifolia.
„ flexuosa.
„ Fothergillii.
„ „ major.
„ humilis Herb.
„ Plantii.
„ pudica Hook. fil.
„ sauniensis.
„ venusta.
„ species 856.
Nothoscordum species.

Ornithogalum prasinum.
Rigidella immaculata Herb.
„ orthantha Ch. Lem.
„ spec. 706.
Romulea speciosa Tod.
Sandersonia aurantiaca Hook. fil.
Sparaxis pulcherrima Hook. fil.
Sternbergia species.
Stranvaesia gemmata Carr.
Symea gilliesioides.
Tecophylaea cyanocrocus.

Tigridia Van Houttei.
„ spec. 707. 1160. 1161.
Triteleia juncea. Tragopogon australis
„ liliacea Gawl.
Tropaeolum albiflorum.
„ azureum Wiers.
„ polyphyllum Cav.
„ ~~speciosum.~~
„ tricolorum Sweet var. grandiflorum.
Tulipa ~~altaica~~. " variétés
„ Biebersteiniana.
„ biflora. Eichleri var.
„ Greigi Rgl. Didieri
„ tricolor Ledeb. platystigma

~~Uropetalum serotinum Ker.~~

Valotta purpurea ~~elata~~.
„ „ ~~eximea.~~
„ „ major.

Watsonia augusta.
„ spec. 858.

Xiphion caucasicum.
„ filifolium Klatt.
„ ~~fumosum Boiss.~~
„ Histrio Rent & Boiss.
„ junceum Klatt.
„ latifolium Mill. var. violaceum.
„ lusitanicum Ahlef.
„ reticulatum. var. Trelagei
„ tingitanum Baker. spectabile

spec. 457. 458. 459. 564
speciei Grenier.

Verschiedene Gewächshaus-pflanzen.

Agapanthus minor.
„ multiflorus Herit.
„ praecox Willd.
„ umbellatus Herit. fl. albo.
„ „ maximus.
„ „ nanus
„ species nova.

Blandfordia grandiflora.
„ species 970. 971.

Cereus grandiflorus major.
„ „ violaceus.
„ „ ruber
„ Dautwitzii
„ senilis

Lapageria rosea Ruiz & Pav.
„ alba.

Mutisia decurrens.

Nerium Oleander Madoni grandiflorum.

Phormium tenax fol. var.

Pilocereus Dautwitzii.
„ senilis.

Pincenectitia gracilis.

Plumbago capensis.

Punica granatum fl. albo pleno.

„ „ Legrelliae.

„ „ Conte di Taverna.

Rochea falcata

Rochea falcata major.

„ „ minor.

„ perfoliata.

„ „ „ fl. albo.

Xanthorrhoea hastilis R. Br.

Tecoma capensis
" speciosa

Pflanzen-Liste

des

Botanischen Privat-Gartens

in

Baden-Baden.

Eigenthümer: **Max Leichtlin.**

1882.

Monocotyleae.

Acis rosea Sweet.
Adamsia scilloides Willd.
Agapanthus minor Mooreanus Baker.
„ umbellatus L'Herit var maximus.
Agave gracilispina Engelm.
„ Palmeri „
„ protuberans „
„ Victoriae Reginae Mast.
„ virginica L. var. tigrina.
„ 3 spec. novae.
Albuca Nelsoni Bkr.
Allium grandiflorum Lam.
„ Moly L. var.
„ Nuttallii Wats.
„ oreophilum C. A. Mey.
„ pedemontanum Willd.
„ rubellum M. B.
„ serratum Wats.
„ stipitatum Rgl.
„ Wallichii Kunth.
„ 7 spec. novae.
Alstroemeria pulchra Hook.
Amaryllis odoratissima.
„ pardina Hook. fil.
„ hybr. venusta marginata.
„ 2 spec novae.
Apera arundinacea Hook. fil.
Aristea major Andr.
Aroideae 2 spec. noveae.
Bambusa nigra Lodd.
„ quadrangularis.
„ sulphurea.

Bambusa viridi-glaucescens.
Beschorneria Decosteriana Hort.
Bomarea acutifolia var. Ehrenbergiana Knth.
„ Carderi Mast.
„ oligantha Bkr.
„ spec. nova.
Brodiaea grandiflora Benth. major.
Chionodoxa Luciliae Boiss.
Chlorophytum macrophyllum Aschers.
Colchicum luteum Bkr.
„ montanum L.
„ rubrum.
„ speciosum Stev. rubrum.
Connanthera spec. Chili.
Convallaria quadrifolia.
Corbularia citrina.
Crinum australe Herb.
„ spec. Abyssinia.
Crocosma aurea Planch.
Crocus Gaillardotii Boiss.
„ Imperati Ten.
„ Sieberi Gay.
Cypripedium macranthum Sw.
„ parviflorum Sw.
„ pubescens Willd.
„ spectabile Sw.
Dasylirion quadrangulatum Wats.
„ Wheeleri Wats.
„ spec.
Dietes tricolor.
Disporum sinense.
Drimiopsis perfoliata Bkr.
Eremurus himalaicus Bkr.
„ Korolkowi Rgl.
„ robustus Rgl.
„ 6 spec.
Erythronium giganteum Ldl.
„ „ roseum.
„ grandiflorum Pursh.

Erythronium Nuttallianum Schult.
Eulalia japonica Trin.
Ferraria obtusifolia Sw.
„ spec.
Freesia aurea.
„ Leichtlinii Klatt.
Fritillaria atropurpurea Nutt.
„ aurea Schott.
„ delphinensis Moggridgei Boiss.
„ leucantha?
„ lusitanica Wikstr.
„ messanensis Rafin.
„ oranensis.
„ pallidiflora Schrk.
„ racemosa Knth.
„ tulipifolia M. B.
„ Walujewi Rgl.
„ 3 spec. novae.
Galanthus Elwesii Bkr.
„ latifolius.
„ nivalis L. forma virescens.
Gamochlamys heterandra.
Gladiolus Boucheanus Schlecht.
„ brachyandrus Bkr.
„ Colvillei Sw. albus.
„ Saundersi Hook fil. superbus.
„ spec. Madeira.
„ hybr. Aureliae-Aquensis.
Glyphosperma Palmeri.
Habranthus bifidus Herb.
„ pratensis fulgens.
Haemanthus spec.
Hedychium spec. Simla.
Helicophyllum Rauwolfii?
„ Lehmanni Rgl.
Herbertia pulchella Sw.
Hyacinthus leucophaeus Stev.
„ Pouzolzii Gay.
Iris Alberti Rgl.

Iris arenaria Waldst. Leichtlinii.
„ aurea Ldl.
„ balkana Janka.
„ bicolor Ingr.
„ Bludowi Led.
„ Cengialti Ambr.
„ elbrucensis? Schott.
„ erratica Tod.
„ Eulefeldti Rgl.
„ flavissima Jacq.
„ germanica L. forma orientalis.
„ gigantea Carr.
„ humilis M. B.
„ iberica Hoffm. Heylandiana Boiss.
„ „ insignis.
„ „ Van Houtteana.
„ Korolkowi Rgl.
„ Monnieri D. C.
„ nepalensis Don.
„ „ Wall.
„ odoratissima Jacq.
„ olbiensis Hen. lutea.
„ orchioides Carr. splendens.
„ pumila affinis Hort. Vind.
„ „ vars.
„ Robinsoniana F. Muell.
„ Saarii Schott.
„ spectabilis Rgl.
„ Stradellae Tod.
„ susiana L.
„ tectorum Max.
„ tenax Dougl.
„ violacea Klatt. major.
„ 10 spec. nov.
Ixiolirion tataricum.
„ Ledebouri Rgl.
Kniphofia aloides Moench. nobilis.
„ „ „ Saundersi.
„ comosa Hochst.

Kniphofia Leichtlinii Bkr.
„ Mac Owani Bkr.
„ Quartiniana Rich.
„ „ flava.
Korolkowia Sewerzowi Rgl.
Lachenalia atroviolacea.
„ aurea Ldl.
„ Nelsoni Hort. Nels.
„ pallida Redouteana.
„ pendula Ait.
„ „ carnea Nels.
„ „ kermesina Nels.
„ „ rosea Nels.
Lapageria rosea Rz. u. P. superba.
Leucocoryne ixioides Ldl.
„ „ colorata.
Lilium Hansoni Leichtl.
„ neilgherricum Wight.
„ nepalense Don.
„ oxypetalum Bkr.
„ Parryi Wats.
Lycoris aurea Herb.
„ Sewerzowi Rgl.
Marica coerulea Ker.
Milla aurea Bkr.
„ biflora Cav.
„ peduncularis Bkr.
„ uniflora Grah. candida.
Montbretia Pottsii Bkr.
Muscari amphilobis Schott.
„ Argaei „
„ armeniacum Bkr.
„ atlanticum Boiss.
„ azureum Fenzl.
„ flavum Lam.
„ Heldreichii Boiss.
„ leucocephalum.
„ lingulatum Bkr.
„ paradoxum C. Koch.

Muscari Szovitsianum Fisch.
„ spec. Trebizond.
Narcissus calathinus L.
„ poeticus L. elatior.
„ „ „ grandiflorus.
„ „ „ poëtarum.
Nemastylus purpureus Herb.
Nerine amabilis Hort. Leichtl.
„ curvifolia major.
„ profusa.
„ pudica Hook fil.
„ venusta Herb.
„ „ pallida.
„ spec. Hankow.
Orchis pseudo-sambucina Ten.
Ornithogalum lacteum Jacq.
„ chloroleucum Lindl.
Orthrosanthus multiflorus Sw.
Peliosanthes spec.
Phaedranassa schizantha Bkr.
Phaeosperma globosum Munr.
Polygonatum giganteum.
„ maculatum.
„ oppositifolium Wall.
Pourretia pyramidata Rz. & Pav.
Pseudolarix spec.
Puschkinia scilloides Adams.
„ libanotica Zucc.
„ „ compacta.
Puya paniculata.
Rhodostachys andina Phil.
„ littoralis Phil.
Romulea Macowani Bkr.
Sandersonia aurantiaca Hook.
Scilla amoena L.
„ bicolor Bkr.
„ bifolia L. alba.
„ „ grandiflora.
„ „ rubra.

Scilla bifolia taurica Rgl.
„ Hohenackeri Fisch & Mey.
„ nivalis Boiss.
„ sibirica Andr.
„ verna Huds.
„ spec. Kotschy.
Sisyrinchium odoratum.
„ spec. Philippi.
Sparaxis Thunbergi varieg.
„ pendula Ker.
Spiranthes convallarioides Link & Kl.
Spreckelia glauca.
Sternbergia angustifolia.
„ Clusiana Ker.
„ spec. Libanon.
Tecophylaea cyanocrocus Leyb.
„ „ Leichtlinii.
„ violaeflora Bert.
„ spec.
Thamnocalamus Falconeri.
„ spathiflorus.
Tigridia lutea Lk.
Trillium discolor Wray.
„ grandiflorum Salisb. maximum.
Tulipa altaica Pall.
„ Greigi Rgl.
„ „ aurea.
„ saxatilis Sieb.
„ 6 spec. novae.
Urginea fugax Steinh.
Vallota purpurea Herb. major.
„ „ „ eximia.
Vieusseuxia tripetaloides D. C.
Watsonia humilis Mill.
„ mexicana?
Xiphion caucasicum Bkr. major.
„ Danfordiae Bkr.
„ Histrio Boiss & Reut.
„ junceum Klatt.

Xiphion lusitanicum Alef.
„ „ sordidum.
„ reticulatum Klatt.
„ „ Krelagei Rgl.
„ 5 div. spsc.
Yucca albo-marginata Engelm.
„ angustifolia Pursh.
„ „ elata Engelm.
„ „ maxima Hort. Leichtl.
„ baccata Torr.
„ Chinae.
„ filamentosa var, bracteata Engelm.
„ gloriosa L. variegata.
„ „ „ Ellacombei.
„ macrocarpa Engelm.
„ pendula varieg.
„ quadricolor Hort.
„ rupicola Scheele.
„ „ var. rigida Engelm.
„ „ variegata.
„ Stokesii.
„ Whipplei Torr.
„ spec.

Dicotyleae.

Acantholimon Androsace.
„ glumaceum Boiss.
„ venustum.
Aciphylla squarrosa Forst.
Aconitum carolinianum.
„ spec. Sikkim.
Aethionema chloraefolium Boiss.

Aethoinema grandiflorum Boiss.
„ pulchellum Boiss & Heldr.
Amphicome Emodi Ldl.
Andromeda japonica Thunb. fol. var.
Androsace carnea L. eximia Hook fil.
„ incisa Wall.
„ sarmentosa Wall.
Anemone blanda.
„ fulgens Gay.
„ fulgens grandiflora.
„ „ oculata.
„ japonica.
„ „ Sieb & Zucc. alba.
„ muttifida Poir. purpurea.
„ nemorosa L. asteriflora.
„ „ coerulea.
„ „ grandiflora.
„ palmata L. alba.
„ stellata Lam. alba.
Aquilegia Rauwolfii aurea.
Arabis androsacea.
Archangelica songarica.
Arctotis aureola Ker.
Aristolochia californica.
Armeria grandiflora.
„ plantaginea Willd. alba.
Arnebia echioides D. C.
Aster alpinus L. albus.
„ „ altaicus.
„ concolor L.
„ grandiflorus L.
„ ibericus Stev.
„ 2 spec. Cashmir.
Asragalus sericeo-albus.
„ 4 spec. nov.
Aubrietia deltoidea D. C. Bougainvillea.
„ „ Eyrei.
„ „ Hendersoni.
„ „ Leichtlinii.

Aubrietia deltoidea D. C. violacea.
„ gracilis Splum.
„ olympica Boiss.
„ tauricola Boiss.
Azalea arborescens. Pursh.
Baldwinia uniflora Ell.
Ballota spinosa.
Begonia gracilis var. Martiana.
„ Satrapis.
Berberis heteropoda Rgl.
„ 4 spec. nov.
Berchemia volubilis D. C.
Bignonia spec. Cashmir.
Boltonia latisquama A. Gray alba.
Buddleya spec. Afghania.
Calceolaria spec.
Callirhoë macrorhiza.
Campanula barbata L. alba.
„ Jacobaea Sm.
„ punctata Lam.
„ rotundifolia All. fl. pl.
„ Trachelium L. var. robusta.
„ Van Houttei Hort.
Carmichaelia Monroi Hook. fil.
Carpenteria californica.
Cedrela sinensis A. Juss.
Cedronella cordata Benth.
Celmisia Lindsayi.
„ spectabilis Hook fil.
Cercis spec. Cashmir.
Chaerophyllum roseum M. B.
Clematis coccinea Engelm.
„ „ major.
„ Douglasii Hook.
„ eriostemon Dcne. var. Spachiana.
Cocculus carolinianus L.
Codonopsis ovata Benth.
Coptis brachypetala Zucc.
„ occidentalis Max.

Coptis spec. Japonia.
Cornus stricta L'Her.
Corydalis Sewerzowi Rgl.
Cotoneaster nummularia Fisch.
Coussinia amplissima Boiss.
Cyananthus inflata.
Cyrtotropis spec. Cashmir.
Cytisus glabratus Link.
Dalibarda repens L.
Daphne altaica Pall.
„ Mezereon L. fl. albo pleno.
„ rupestris Facch.
Darlingtonia californica Torr.
Delphinium azureum Michx. fl. albo.
„ cardinale Hook fil.
„ cashmirianum Royle.
„ caschm. × nudicaule.
„ formosum.
„ glaciale?
„ grandiflorum L. fl, pl.
„ macranthum.
„ speciosum M. B.
„ hybr. Bella Donna.
Dianthus japonicus Thunb.
Digitalis ambigua Schk.
„ canariensis L.
„ media Roth.
„ Thapsi L.
„ tomentosa Lk. & H.
Dodecatheon Jeffreyi.
„ Meadia L. splendens.
Dolomiea macrocephala Royle.
Dorema ammoniacum Don.
Dracocephalum altaiense L.
„ grandiflorum L.
„ heterophyllum Benth.
„ Ruprechti Rgl.
„ Ruyschiana L. japonicum.
„ speciosum Royle.

Echium albicans Lagasc.
Edraianthus pumiliorum.
Ephedra spec. Sikkim.
Eranthis hyemalis Salisb.
Erigeron aurantiacus Rgl.
Erinacea hispanica.
Erinus alpinus L. albus.
Eriogonum umbellatum Benth.
Erythraea diffusa Woods.
Erythrina tuberculata.
Eucalyptus ficifolius.
Eugenia Ugni Hook & Arn.
Euonymus tingens Wall.
Euryangium Sumbul Kaufm.
Exarrhena Lyallii.
Exochorda Korolkowi.
Fallugia paradoxa.
Fendlera rupicola.
Ferula alliacea.
„ galbaniflua Boiss.
Freyera bulbosa.
Gardenia japonica.
Gentiana algida frigida Rgl.
„ crinita Froel.
„ oregona.
„ umbellata.
Gorteria acaulis.
„ pinnata Thunb. integrifolia.
„ ringens L.
Gundelia Tourneforti L.
Gypsophila cerastioides Don.
Haberlea rhodopensis Friv. robusta.
Helianthella uniflora.
Helianthus angustifolius Willd.
Helichrysum anatolicum Boiss.
„ frigidum Willd.
Helleborus guttatus A. B. splendens.
„ niger L. altifolius.
„ „ fol. varieg.

Helleberus porphyromelos.
Hesperis matronalis alba compacta.
„ „ fl. albo pl.
„ „ fl. albido pl.
„ „ purpureo pl.
„ „ purpureo-violaceo pl.
Hibiscus coccineus.
„ grandiflorus Salisb.
„ palustris L.
Hibiscus spec. Cashmir.
Hydrangea vestita Wall.
„ fl. coeruleo.
Hypericum cuneatum Poir.
„ reptans.
Iberis jucunda Schott & Kotsch.
„ Pruitii.
„ superba.
Lathyrus grandiflorus Sims.
„ latifolius L. albus.
„ „ roseus.
„ „ splendens.
„ „ Turneri.
„ rotundifolius Willd.
„ sanguineus Haberl.
„ Sibthorpi.
„ splendens.
Leiophyllum buxifolium Ell.
Ligularia gigantea.
„ macrophylla Sieb. & Zucc.
Linaria pallida Ten.
Linum heterosepalum Rgl.
Lobelia Canbyi.
„ pinifolia.
Lychnis chalcedonia L. maxima pl.
„ diurna Sibth. alba pl.
„ „ rubra pl.
„ flos cuculi L. alba pl.
„ „ „ „ rubra pl.
„ nivalis.

Lychnis vespertina Sibth. alba pl.
„ „ „ rubra pl.
„ Viscaria L. fl. pl.
Megasea afghanica Aitch.
„ ciliata Royle.
„ cordifolia L. purpurea.
„ orbicularis Host.
„ „ rubra.
„ purpurascens Hook fil.
„ Schmidtii Rgl.
„ Stracheyi Hook fil.
„ thysanodes Ldl.
Mentzelia tricuspis.
Morina Coulteriana Royle.
„ longifolia Wall.
„ persica Tourn.
„ spec.
Nepeta kokamirica Rgl.
(Privateigenthum von Dr. Ed. von Regel.)
Nepeta pinetorum Aitch.
Ochna capensis Page.
Omphalodes Luciliae Boiss.
„ verna L.
Onosma echioides L.
„ tauricum Pall.
Opuntia brachyacantha.
„ camanchica Engelm.
„ humilis H. Kew.
„ macrosperma Engelm.
„ missouriensis D. C. leucospina.
„ spec.
Oreocome Candollei.
Oresitrophe rupifraga Bge.
Origanum Tourneforti Ait.
Oxalis eneaphylla Cav.
„ lobata Sims.
Pachystemma Canbyi.
Paeonia Emodi Wall.
„ Moutan div. var.

Paeonia Moutan japonica.
„ tenuifolia L. fl. pl.
„ „ rosea.
„ Wittmanniana Hartw.
Palimbia Salsa Bess.
Papaver orientale L. semipl.
Parnassia nubicola Wall.
Parrotia persica Mey.
Pelargonium Endlicherianum Fzl.
Pentstemon Cobaea Nutt. purpureus.
Perowskya abrotanoides.
Petagnia saniculaefolia Guss.
Philadelphus microphyllus.
Phlomis cashmiriana Royle.
„ pungens Willd.
„ purpurea L.
Phylliraea Vilmoriniana.
Pittosporum Buchanani.
„ floribundum Wight.
„ Ralphii.
Platycodon autumnalis Dcne.
„ grandiflorus D. C.
Polygala Chamaebuxus L. purpurea.
„ virgata L. speciosa.
Polygonum rubrum.
„ vaciniifolium Wall.
Populus alba var. turkestanica Rgl.
Potentilla 2 spec. Cashmir.
Prangos spec. Persia.
Primula amoena M. B.
„ capitata Hook.
„ floribunda Wall.
„ nivalis Pall.
„ rosea Royle.
„ „ semiplena.
„ „ grandiflora.
„ speciosa.
„ Stuartii Wall.
„ acaulis amaranthina pl.

Primula acaulis Croussei pl.
„ „ nigra pl.
„ „ platypetala pl.
„ „ purpurea pl.
„ „ rubra pl.
„ „ violacea pl.
„ „ Brilliant.
„ „ Crimson King.
„ „ double Crimson.
„ „ Scott Wilson.
„ elatior Jacq. coerulea.
„ „ „ Bonny Bess.
„ „ „ Cardinal.
„ „ „ Cheshire Favourite.
„ „ „ Cloth of Gold.
„ „ „ Lancer.
„ „ „ President.
„ „ „ Rex Theodore.
„ „ „ Superba.
Prunus prostrata Lab.
„ ursina.
Psoralea aculeata L.
„ subacaulis.
Pulmonaria davurica Sims.
Pyrus Maulei Mast. superba.
„ Simoni.
Ramondia Nataliae Panc.
„ pyrenaica Rich.
„ serbica Panc.
Rheum Ribes L.
Rhododendron spec. Sikkim.
Robinia neo-mexicana Gray.
Rosa belgradensis Panc.
„ bicolor Jacq. brunea, lutea, rubra.
„ berberifolia Pall.
„ „ „ Hardyi.
„ bracteata Wendl.
„ californica Schlcht. var. ultramontana.
„ centifolia L. alba.

Rosa centifolia cristata.
„ „ japonica muscosa.
„ champagnensis minor.
„ dijonensis Roess.
„ Ecae Aitch.
„ Luciae.
„ lutea Mill. fl. pl.
„ minima.
„ myriacantha D. C.
„ rugosa Thunb.
„ 4 spec. novae.
„ spec. yellow double Thibet.
Rubus phoenicolasius Maxim.
„ spec. Cashmir.
Ruta patavina L.
Salvia aurea L.
„ confusa Benth.
Samolus littoralis R. Br.
Sanguisorba spec. Cashmir.
Saponaria caespitosa Sibth.
„ pulvinaris.
Saxifraga Caryana fol. var.
„ diversifolia Wall.
„ virginiensis Michx. fl. pl.
Scabiosa caucasica M. B. heterophylla Ledb.
Schizophragma hydrangeoides Zucc.
Scorodosma foetidum.
Scutellaria anthirrhinoides Benth.
„ canescens Nutt.
„ macrantha Fisch.
„ orientalis L.
„ Wrightii.
Sedum umbilicoides.
Sempervivum Moggridgei.
Senecillis carpathicus.
Senecio laxiflorus Viv.
„ leucophyllus Dec.
„ pulcher Hook & Arn.
„ saxifragoides Hook. fil.

Senecio spathulaefolius Dec,
„ speciosus D. C.
Sheffieldia repens Forst.
Solanum rubetorum.
„ Torreyi.
Spiraea luxurians.
„ millefolium.
Statice calicoma.
„ caspia Willd.
„ latifolia Sm. alba.
„ rosea.
„ tatarica L.
Thalictrum Fendleri Engelm.
Tropaeolum albiflorum Lem.
„ azureum Miers.
„ brachyceras Hook & Arn.
„ edule Rz. & Pav.
„ polyphyllum Cav.
„ tricolorum Sweet grandifl.
Umbilicus chrysanthus Boiss.
Vancouveria hexandra.
Veratrum Maakii Max.
Verbascum olympicum Boiss.
„ speciosum Schrad.
Veronica anomala Armst.
„ caespitosa.
„ carnosula Hook fil.
„ Colensoi Hook. fil.
„ glauco-coerulea Armst.
„ Lavaudiana Raoul.
„ ligustrifolia Cann.
„ macrocarpa.
„ pectinata.
„ rupestris.
Viola Beckwithii.
„ suavissima.
„ spec. Cashmir.

Pflanzen-Liste

des

Botanischen

Privat-Gartens

in

Baden-Baden.

Eigenthümer: **Max Leichtlin,**

Correspondirendes Ehrenmitglied der k. k. Gartenbau-Gesellschaft zu Wien, der Royal Horticultural Society zu London, der Horticultural Hall of Massachusets zu Boston.

1883.

Monocotyleae.

Agapanthus minor Mooreanus Bkr.
„ umbellatus fl. pl. l'Herit.
„ „ maximus.
„ „ „ Krelagei.
Agave gracilispina Engelm.
„ Palmeri „
„ protuberans „
„ tetragona „
„ Victoriae Reginae Mast.
Albuca Nelsoni Bkr.
Allium atrosanguineum Schrenk.
„ Bauerianum Bkr.
„ giganteum Rgl.
„ oreophilum C. A. Mey.
„ Ostrowskyanum Rgl.
„ serratum Wats.
„ Suworowi Rgl.
„ Wallichii Knth.
Alstroemeria Diazi.
„ pelegrina alba.
„ revoluta.
„ spathulata.
„ tenuifolia.
Amaryllis Belladonna purpurea.
„ „ rubra.
„ „ „ major.
„ pardina Hook. fil.
Aristea major Andr.
Arum longifolium.
„ proboscideum Savi.
Bambusa nigra Lodd.
„ sulphurea.
„ viridi-glaucescens.

Beschorneria Decosteriana Hort.
Brodiaea grandiflora Benth. major.
„ volubilis Bkr.
Chionodoxa Luciliae Boiss.
Colchicum luteum Bkr.
„ maximum Hort. Ed.
„ montanum L.
„ rubrum
„ speciosum Stev. rubrum.
Convallaria quadrifolia.
Corbularia citrina.
Crocosma aurea Planch. major.
Crocus Imperati Ten.
„ longiflorus Rafin.
„ Sieberi Gay.
„ zonatus Gay.
Cymbidium virens Lindl.
Cyrtanthus Mackenii Hook fil.
„ Macowani Bkr.
Dasylirion quadrangulatum Wats.
„ Wheeleri Wats.
Dietes tricolor.
Eremurus himalaicus Bkr.
„ Korolkowi Rgl.
„ robustus Rgl.
Erythronium giganteum Ldl.
„ Nuttalianum Schult.
Freesia Leichtlinii Klatt.
„ refracta Klatt.
Fritillaria aurea Schott.
„ Burnati Planch.
„ delphinensis Gren.
„ „ Moggridgei Boiss.
„ leucantha Grah.
„ lutea pallida M. B.
„ lusitanica Wikstr.
„ messanensis Rafin.
„ oranensis.
„ pallidiflora Schrk.
„ racemosa Knth.

Fritillaria recurva Benth.
„ tenella M. B.
„ tulipifolia M. B.
„ Walujewi Rgl.
Galanthus Elwesii Bkr.
„ latifolius Rupr.
„ nivalis L. octobrensis.
„ „ poculiformis.
„ „ virescens Fzl.
„ plicatus M. B.
„ Redoutei.
Gamochlamys heterandra.
Geissorhiza secunda Ker.
Gladiolus brachyandrus Bkr.
„ Bouchéanus Schlecht.
„ Colvillei albus Sw.
„ cruentus Bkr. hastatus
„ Dracocephalus Bkr.
„ Ludovicae grandiflorus Jan.
„ Saundersi Hook fil. superbus.
„ sulphureus Hort.
„ viperatus Gawl.
Habranthus bifidus Herb.
„ pratensis Herb. var.
Helicophyllum Lehmanni Rgl.
Herbertia coerulea Herb.
„ pulchella Sw.
Hesperocallis undulata Gray.
Hexaglottis longifolia Vent.
Hippeastrum texanum Bkr.
Hyazinthus amethystinus L.
„ „ albus.
„ leucophaeus Stev.
Iris Alberti Rgl.
„ arenaria Waldst.
„ aurea Ldl.
„ balkana Janka.
„ Bartoni Foster.
„ Bludowi Led.
„ Cengialti Ambr.

Iris Danfordiae Bkr. X.
„ decora Wall.
„ elbrucensis Schott.
„ Eulefeldi Rgl.
„ germanica var. orientalis L.
„ gigantea Carr.
„ Histrio Boiss & Reut. X.
„ humilis M. B.
„ iberica Heylandiana Boiss.
„ „ insignis.
„ „ Van Houtteana Hort. Leichtl.
„ juncifolia Klatt. X.
„ Korolkowi Rgl.
„ lusitanica Alef. X.
„ „ sordida.
„ „ Thunderbolt.
„ macrosiphon Torr.
„ Monnieri D. C.
„ nepalensis Don.
„ „ Wall.
„ olbiensis Hen. lutea.
„ pumila affinis.
„ reticulata Klatt X.
„ „ Klatt. Krelagei Rgl.
„ Robinsoniana F. Muell.
„ Saarii Schott.
„ Stocksii Bkr. X.
„ subbarbata Joo.
„ susiana L.
„ tectorum Max
„ tenax Dougl.
„ versicolor var.
Ixiolirion tataricum Pall. [Rgl.
„ „ var. brachyantherum
„ „ var. Ledebouri Rgl.
Kniphofia aloides Moench. nobilis.
„ „ „ Saundersi.
„ Burchelli Herb.
„ comosa Hochst.
„ Leichtlinii Bkr.

Kniphofia Macowani Bkr.
„ pumila Ker.
„ Quartiniana Rich. var.
Lachenalia aurea Ldl.
„ Nelsoni Hort. Nels.
„ superba.
Lapeyrousea Fabrici Ker.
Leucocoryne ixioides Ldl.
„ „ colorata.
Leucoyum vernum L. fl. pl.
Lilium nepalense Don.
„ Wallichianum Schult. fil.
Littonia Keitii Hort. Leichtl.
„ modesta Hook.
Milla biflora Cav.
„ uniflora Grah. candida.
Muscari amphilobis Schott.
„ Argaei Schott.
„ armeniacum Bkr.
„ atlanticum Boiss.
„ azureum Fzl.
„ flavum Lam.
„ Heldreichii Boiss.
„ leucocephalum.
„ lingulatum Bkr.
„ Maweanum Hort.
„ strigosum.
„ Szovitsianum Fisch.
Narcissus Ajax „John Nelson".
„ calathinus L.
„ cernuus fl. pl.
„ lorifolius „Emperor".
„ Nelsoni aurantius.
„ poeticus L. elatior.
„ „ grandiflorus.
„ „ poetarum.
Nerine amabilis Hort. Leichtl.
„ coruscans major.
„ curvifolia.
„ excellens Moore.

suaveolens Fisch

Nerine humilis Herb.
„ „ major.
„ japonica Miq.
„ O'Brieni.
„ „ lilacina.
„ Plantii.
„ profusa.
„ pudica Hook. fil.
„ pulchella.
„ rosea Herb.
„ undulata.
„ venusta.
„ „ alba?
„ „ pallida.
„ „ grandiflora.
Nolina erumpens Wats.
Orchis pseudo-sambucina Ten.
Ornithogalum Aucheri Boiss.
„ lacteum Jacq.
Orthrosanthus, multiflorus Sw.
Phoenosperma globosum Munro.
Polygonatum maculatum.
„ oppositifolium Wall.
Puschkinia scilloides. Adams.
„ libanotica Zucc.
„ sicula Hort.
Puya paniculata.
Rhodostachys andina. Phil.
„ littoralis Phil.
Romulea Macowani Bkr.
Sandersonia aurantiaca Hook.
Scilla amoena L.
„ bifolia L.
„ „ alba, rubra,
„ „ grandiflora, taurica.
„ Hohenackeri Fisch & Mey.
„ puschkinioides Rgl.
„ sibirica Andr.
Sparaxis pulcherrima rosalba.
„ Thunbergii variegata.

Spiranthes convallarioides Link & Kl.
Spreckelia glauca Ldl.
Sternbergia lutea Ker.
Tecophylaea cyanocrocus Leyb.
„ „ Leichtlinii.
„ Regeli Bkr.
„ violaeflora Bert.
Thamnocalamus Falconeri.
„ spathiflorus.
Tigridia lutea Lk.
Trichonema Celsi Planch.
„ grandiflorum.
„ speciosum Ker.
Trillium discolor Wray.
„ grandiflorum Salisb. maximum.
Tulbaghia Ludwigiana Harv.
Tulipa Greigi Rgl.
„ „ aurea.
„ Kaufmanni Rgl.
Vallota purpurea Herb. major.
Watsonia humilis Mill.
Yucca albo-marginata Engelm.
„ albo-spica.
„ aloifolia quadricolor.
„ angustifolia elata Engelm.
„ „ maxima.
„ baccata Torr.
„ Chinae.
„ Ellacombei Hort.
„ filamentosa bracteata Engelm.
„ gloriosa L. variegata.
„ macrocarpa Engelm.
„ recurva variegata.
„ rupicola Scheele.
„ „ lutescens.
„ „ variegata.

Dicotyleae.

Acantholimon androsaceum.
„ glumaceum Boiss.
„ venustum Boiss.
Aconitum californicum.
„ carolinianum.
Aciphylla squarrosa Forst.
Adonis Waljiana? Waljiana Sinkt
Agrostemma coronaria var.
Amphicome Emodi Ldl.
Androsace carnea L.
„ grandifolia?
„ lanuginosa Wall.
„ sempervivoides Jacqt & Duby.
Anemone appenina L.
„ blanda.
„ decapetala L.
„ fulgens Gay.
„ japonica alba.
„ nemorosa grandiflora.
„ obtusiloba Don.
„ palmata L. alba.
„ patens Nuttaliana.
„ pavonina vars. Lam.
„ polyantha Don.
„ Reginae De Riso.
„ stellata alba Lam.
„ sulphurea L.
Aquilegia Rauwolfi aurea.
Aralia cashmiriana Dcne.
Arenaria Armeriastrum frigida.
Arctotis aureola Ker.
„ speciosa Jacq.
Armeria cephalotes Lk. grandiflora.
„ splendens Webb.
Arnebia echioides D. C.
Aster alpinus L. albus.
„ „ altaicus.

Aster bessarabicus.
„ ibericus.
„ natalensis.
„ sikkimmensis Hook fil.
„ Townshendi „
„ tricephalus.
Astragalus lasiosemius Rgl.
„ sericeo-albus.
Aubrietia deltoidea D. C. Eyrei.
„ „ Leichtlinii.
„ tauricola Boiss.
Azalea arborescens Pursh. rubescens Sieb.
Baldwinia uniflora Ell.
Begonia Listeri.
„ Martiana gracilis.
Bellidiastrum Micheli Cass.
Calceolaria Kellyana.
„ Sinclairii Hook.
Campanula isophylla Mor. alba.
„ Jacobaea Sm.
„ macrorhiza.
„ tomentosa Lam.
„ sarmatica Ker.
Carmichelia Monroi Hook fil.
Catalpa speciosa.
Cathcarthia villosa Hook fil.
Cedrela sinensis A. Juss.
Centaurea pulcherrima Willd.
Cephalaria speciosa Boiss.
Clematis Catesbyana.
„ coccinea Engelm.
„ „ major.
„ Douglasi Hook.
„ eriostemon Dce. Spachiana.
Codonopsis ovata Benth.
Convolvulus chrysorhizus.
Coptis brachypetala Zucc.
Corydalis Cascana.
„ Sewerzowi Rgl.
Crassula saxifraga.

Crawfurdia japonica Sieb. & Zucc.
Cyclamen cilicicum.
„ cyprium Kotschy.
Cydonia japonica nivea.
Cynanchum macrorhizum.
Dalibarda repens L.
Daphne Mezereon fl. albo pl.
„ rupestris Facch.
Darlingtonia californica Torr.
Delphinium cardinale Hook fil.
„ cashmirianum Royle.
„ corymbosum Rgl.
„ dasyanthum Rgl.
„ grandiflorum L. fl. pl.
„ Macnabianum.
„ triste Fisch.
Dianthus alpinus × barbatus.
„ japonicus Thunb.
Digitalis ambigua Schk.
„ dubia.
„ media Roth.
„ nevadensis.
„ obscura.
„ Thapsus L. *Thapsi*
Dodecatheon Jeffreyi.
„ Meadia splendens.
Dorema ammoniacum Don.
Dracocephalum altaiense L.
„ grandiflorum L.
„ Ruprechti Rgl.
„ Ruyschiana L. japonicum.
„ speciosum Royle.
Dumasia villosa D. C.
Edraianthus pumiliorum.
„ serpyllifolius.
Eranthis hiemalis Salisb.
Erigeron aurantiacus Rgl.
„ Roylei. *pulchellus DC.*
Erinacea hispanica.
Eriogonum umbellatum Benth.

Eriogonum compositum.
Erythraea capitata v. sphaerocephala.
Euryangium Sumbul Kaufm.
Evonymus tingens.
Eysenhardtia amorphioides.
Fendlera rupicola.
Ferula alliacea.
„ galbanifera Ldl.
Gazania pinnata Thunb v. integrifolia.
„ ringens L.
„ splendens fol. var.
Gazaniopsis stenophylla.
Gerbera ancudria?
Geranium Wallichianum Sw.
Gilia aggregata.
Globularia nudicaulis L.
Grindelia robusta Gray.
Haberlea rhodopensis robusta Friv.
Haplocarpha Leichtlini N. E. Br.
Helianthus angustifolius Willd.
„ radula.
Hellichrysum nutans.
Helleborus abchasicus A. Br.
„ guttatus A. B.
„ niger L. laxus.
„ „ maximus.
„ „ minor.
„ „ variegatus.
„ porphyromelos A. B.
Hesperis matronalis albo pl.
„ „ albido pl.
„ „ purpureo pl.
„ „ rubro pl.
Heuchera himalaica Done.
Hibiscus cardiophyllus.
Hieracium gymnocephalum.
Hydrangea vestita Wall.
Hypericum reptans.
„ tomentosum L.
Iberis jucunda Schott.

Incarvillea compacta Rgl.
Indigofera azurea.
Knautia magnifica Boiss.
Lathyrus grandiflorus Sims.
„ sanguineus Haberl.
„ Sibthorpi.
„ splendens.
Leiophyllum buxifolium Ell.
Leontice Alberti Rgl.
Lespedeza sericea.
Linum heterosepalum Rgl.
Lobelia cardinalis L.
„ inflata L.
„ pinifolia L.
„ Wallichiana.
Lychnis diurna pl. Sibth.
„ flos cucculi rubro pl. L.
„ „ „ albo pl.
„ nivalis.
„ vespertina pl. Sibth.
„ viscaria pl. L.
„ „ splendens pl.
Magnolia Soulangeana nigra.
Meconopsis horridula.
Morina longifolia Wall.
„ „ var. Schrenki.
Neogaya mucronata.
Nepeta kokamirica Rgl.
Olearia insignis.
Omphalodes Krameri Hort.
„ Luciliae Boiss.
„ „ alba.
Onosma echioides L.
„ tauricum Pall.
Oresitrophe rupifraga Bge.
Oxalis eneaphylla Cav.
„ lobata Sims.
„ violacea alba.
Paeonia arborea varietates.
„ „ japonica.

Paeonia corallina Retz.
„ Wittmanniana Stev.
Pachystemma Canbyi.
Papaver bracteatum sanguineum.
„ involucratum maximum.
„ orientale L. semipleno.
„ speciosum
Paranephelius unifloras Poepp. & Endl.
Parrotia Jaquemontiana.
Pelargonium ardens.
„ Endlicherianum Fzl.
„ melananthon.
„ sarmentosum.
„ Schottii.
Petagnia saniculaefolia Guss.
Philadelphus microphyllus.
Phlomis armeniaca Willd.
„ cashmiriana Royle
„ pungens Willd.
„ purpurea L.
Phylliraea Vilmoriniana.
Pinguicula caudata Schlecht.
Pittosporum floribundum Wight.
Plantago communis monstrosus.
Platycodon grandiflorus D. C.
„ „ albus.
Podophyllum Emodi Wall.
Polygala virgata L. speciosa.
Potentilla Wrangeliana.
Primula amoena M B.
„ cashmiriana Hook fil.
„ Henryi (cashm. × rosea).
„ capitata Hook fil. coerulea.
„ „ grandiflora.
„ „ violacea.
„ ciliata Schrank. var.
„ denticulata Sm. alba.
„ elliptica? Royle.
„ floribunda Wall.
„ involucrata Wall.

Primula mollis Nutt.
„ Sieboldii Morr.
„ sikkimmensis Hook.
„ Stuartii Wall.
„ „ var. purpurea Watt.
„ rosea Royle.
„ „ grandiflora.
„ hybr.: amaranthina pl.
„ „ Brilliant.
„ „ Cardinal.
„ „ Cheshire favourite.
„ „ coerulea.
„ „ dble Crimson.
„ „ Croussei fl. pl.
„ „ Neill Fraser.
„ „ nigra fl. pl.
„ „ old Scotch Crimson.
„ „ platypetala plena.
„ „ President.
„ „ rubra pl.
„ „ „ albo-marginata pl.
„ „ Scott Wilson.
„ „ violacea.
Prunella Webbiana.
Pulmonaria dahurica Sims.
Pyrethrum pulchrum Rgl.
Pyrus Maulei Mast.
„ „ superba.
Ramondia Nataliae Panc.
„ pyrenaica Rich.
„ serbica Panc.
Renarda astrantiiflora Rgl.
Rheum Ribes L.
Ribes bracteosum.
Rosa belgradensis Panc.
„ bicolor lutea Jacq.
„ „ rubra.
„ berberifolia Pall.
„ „ Hardii.
„ californica Schlecht. ultramontana.

Rosa centifolia L. alba.
„ „ cristata.
„ Ecae Aitch.
„ Luciae.
„ lutea fl. pl.
„ Mundi.
„ minima.
„ muscosa dijonensis.
„ „ japonica.
„ myriantha D. C.
„ rugosa Thunb.
„ „ alba.
Rubus phoenicolasius Maxim.
„ spectabilis? Pursh.
Ruta patavina L.
Salvia Greggi.
„ himalaica.
„ hians Royle.
„ interrupta Schousb.
„ phlomoides Cav.
„ sclareoides Brot.
Saxifraga ciliata Royle.
„ cordifolia L. purpurea.
„ diversifolia Wall.
„ ligulata speciosa.
„ Milesi Bkr.
„ orbicularis Host.
„ purpurascens Hook fil.
„ speciosa Hort. Leichtl.
„ Stracheyi Hook fil.
„ thysanodes Ldl.
„ virginiensis fl. pl.
Scabiosa caucasica M. B. var.
„ „ heterophylla.
„ vestina.
Scorodosma foetidum Bge.
Scutellaria macrantha Fisch.
„ Wrightii.
Senecillis carpathica ~~Kotschy~~ Schott
Senecio laxiflorus ~~Vis.~~ Bertoloni

Senecio leucophyllus Dec.
„ pulcher Hook & Arn.
„ retusus.
„ rufinervis.
Silene Campanula.
Sisymbrium rupestre.
Soldanella minima alba Hoppe.
Spiraea bullata.
„ luxurians.
„ millefolium.
Statice rosea.
Symphiandra armena.
Thalictrum anemonoides fl. pl.
Thermopsis nepalensis.
Tradescantia virginica Miss Hope.
Tripleurospermum ambiguum Ledbr.
Tropaeolum albiflorum Lem.
„ azureum grandiflorum Miers.
„ edule Rz. & Pav.
„ tricolor var. Sweet.
Vaccinium Mortoni.
Vanconveria hexandra.
Veratrum Maakii Maxim.
Veronica anomala Armst.
„ caespitosa.
„ carnosula Hook fil.
„ Colensoi Hook fil.
„ Lavaudiana Raoul.
„ ligustrifolia Cann.
„ macrocarpa.
„ rupestris.
Viburnum cotinifolium.
„ nudum cassinoides.
„ obovatum.
„ plebotrichum.
Vicia kokanica Rgl.
Viola Beckwithii.
Wulfenia Amherstiae.
„ Wallichii.
Zanthoxylon Bungei.

Hier nicht aufgeführte Pflanzen neuer Einführung, welche, theils generell, theils speciell, noch unbestimmt sind, weil sie in Europa noch nicht geblüht haben, werden in Menge in diesem Garten erzogen. Interessenten erhalten hierüber mit Vergnügen brieflich Auskunft.

Lilien:

abschasicum?
aurantiacum.
auratum Lindl.
avenaceum Fisch.
Belladonna H. H. & Leichtl.
Brownii Hort.
bulbiferum L.
bulbiferum formosum?
Buschianum Lodd.
« grandiflorum?
californicum Hort.
camtchatcense.
canadense L.
« flavum.
« superbum-penduliflorum.
candidum L.
« fol. arg. var.
« var. e California.
carniolicum Bernh.
carolinianum Michx.
Catesbaei Walt.
chalcedonicum L.
« fl. luteo?
« major.
« punctatum.
columbianum Hort. H. & Leichtl.
concolor Salisb.

cordifolium Thunb.
Coridion Sieb & De Vr.
croceum Fuchs & Chaix.
« fl. saturato.
davuricum Gawl.
eximium Court.
formosum Hort Versch.
fulgens var. Leichtlinii Hort H.
giganteum Wall.
Hansonii Hort. Leichtl.
Humboldtii Roezl.
japonicum Thunb?
Jeffersoni?
Leichtlinii Hooker.
« splendens Hort H.
lilacinum?
Loddigesianum?
lougiflorum Thnbg.
« e Liukiu.
« « praecox.
« eximium?
« Takesimae.
« Wilsonii?
Martagon L.
« album.
« « rubr. punctatum.
« atroviolaceum striatum.
« La Blauchisseuse.
« Catanii Vis.
« dalmaticum Màly.
« « roseum Hort Leichtl.
« fol. albo varieg.
« flore albo.
« « « pleno.
« « luteo.
« « pleno.
« luteum.
« maculatum.
« « splendens.

Martagon pallidum.
« « punctatum.
« praecox.
« punctatum elegans.
« « fl. pleno.
« « superbum.
« purpureum.
« « striatum.
« « fl. pleno.
« striatum punctatum.
« « « grandifl.
« superbum.
« tigrinum tardivum.
Maximowiczii Regel.
Michauxii Poir.
monadelphum Bieberst.
neilgherricum Wght.
pardalinum Kellog.
Partheneion Sieb & De Vr.
pennsylvanicum.
peregrinum Mill.
philadelphicum Linn.
« andinum.
« var.
pinifolium?
pomponium L.
« majus.
« flavum?
« Moggridge var.
« var. Hort. angl.
ponticum C. Koch.
pseudo-tigrinum Carr.
puberulum Torr.
pubescens Bernh.
pumilum Red.
punctatissimum?
puniceum Sieb & De Vr.
pygmaeum?
Sieboldi?

sinicum Lindl.
speciosum atropurpureum Kaempferi Zucc.
« punctatum.
« « late-maculatum Rod.
« rubrum.
« « sanguineum Bod.
« « superbum Liebig.
« Schrymakersii.
spectabile Fisch.
« bicolor?
« maculatum?
superbum L.
« var.
Szovitsianum Fisch.
tenuifolium Fisch.
testaceum Lindl.
Thunbergianum Roem & Sch.
« Allen's var.
« alternans.
« atrosanguineum.
« « maculatum.
« aurantiacum multiflorum.
« aureum.
« bicolor.
« coronatum.
« fl. pleno.
« formosissimum.
« latemaculatum.
« pictum.
« Prince d'Orange.
« roseum.
« sanguineum.
« scarlatinum.
« variegatum.
« Wilsonii.
« var. Nr. 60. 165 292.
Thomsonianum Lindl.
tigrinum Gawl.
« Fortunei.

tigrinum erectum.
« fol. var.
« fl. pleno.
« splendens Hort Leichtl.
« var. Admiral Greig.
« « Hort Kew.
tricolor?
tubiflorum Wight.
venustum Hort. Berol.
Wallichianum Roem & Sch.
Washingtonianum Kellog
Wilsonii Hort.
spectabile var 215.
Szovitsianum var. 132.
« « 216.
species nov. California 18. 201. 202. 353. 203. 222.
« « Japonia 24. 213. 214. 358.
« « Oregon 273. 280.
« « Nova Scotia 274.
« « 131. 164. 166. 187. 217.
« « 221. 223. 341.

Stauden:

Aconitum Kusnezoffii.
Aethionema grandiflorum.
Anandria Bellidiastrum.
Anemone japonica.
« « Honorine Jobert.
« Hepatica var.
« « angulosa.
Anemonopsis japonica.
« macrophylla.
Aquilegia Bürgeriana.
Aubrietia Campellii.
Biebersteinia Orphanidis.
Daphne rupestris.
Dodecatheon integrifolium.
« varietates.
Dictamnus elegans.
« Fraxinella fl. albo.
« « grandiflorus.
« giganteus.
Dorema assafoetida.
Dracocephalum grandiflorum.
Eremurus caucasicus.
Erythraea Mühlenbergii.
Erythrochaete palmatifida.
Funkia Fortunei.
« « coerul. var.
« grandiflora.
« « fol. var.
« liliiflora.
« univittata.
Godetia Whitneyi (einjährig.)
Helleborus atropurpureus.
Hemerocallis disticha fl. pl.
« graminea.
Iberis jucunda.

Michauxia campanuloides.
« laevigata.
Opuntia Rafinesquiana.
Platycodon grandiflorum.
« « fl. albo. pl.
Paeonia Brownii.
Primula cortusoides.
« « amoena grandiflora.
« « « « alba.
« japonica.
Romanzoffia sitchensis.
Spiraca palmata.
Trollius japonicus fl. pl.
« patens.

Knollen- & Zwiebel-Gewächse.

Adonis vernalis.
Anthericum trichiopetalum.
Arum spectabile.
Brodiaea coccinea.
« grandiflora.
Calochortus Leichtlinii.
« uniflorus.
Chlidanthus fragrans.
Coburgia coccinea.
Colchicum autumnale violaceum.
« Chana.
Cooperia Drummondii.
Crocus cyprius.
« iridiflorus major.
Cyclamen cilicicum.
« cyprium.
« ficariaefolium.
« ibericum.
« « album.
« persicum.
« vernum.
Diasia iridiflora.
Diposis bulbocastanum.
Eranthis hyemalis.
Erythronium giganteum.

Erythronium grandiflorum.
Ferraria spec. Novara.
Fritillaria aurea.
« involucrata.
« graeca.
« lutea.
« pallidiflora.
« « pluriflora.
« pudica.
« recurva.
« tenella.
« species 342.
« « from Devils Gate.
« « « Sciad Valley.
Gladiolus cruentus.
« gandavensis hybr. superb.
Hyazinthus candicans.
Hymenocallis augustum.
Imhofia spec. from Port Natal.
Ismene Calathinum.
Iris agnicularis.
« arenaria var. Leichtlinii.
« californica.
« elbrucensis.
« foetidissima fol. var.
« Helena.
« iberica.
« japonica.
« japonica: Colonia.
« « Lutetia.
« « Leona.
« « Thalia.
« « Psyche.
« Junonia.
« Kaempferi Alex. v. Humboldt.
« « « « Siebold.
« « Blumei.
« « De Vriese.
« « Duchesse de Belcourt.
« « Ernst Moritz Arndt.
« « Glymmii.
« « Krelagei.

Iris Kaempferi Le Souvenir.
« « Mad. Helene v. Siebold.
« « Mad. Le Grelle d'Hanis.
« « Nippon.
« « Reinwardtii.
« « Rutherford Alcock.
« laevigata.
« scorpioides.
« superba.
« Susiana.
« tenax.
« violacea.
Lachenalia aurea.
Leontice leontopetalum.
Leucojum hyemale.
« vernum.
Marica californica.
Montbretia species?
Nothoscordum fragrans.
Ornithogalum capitatum.
« chloroleucum.
Phaedranassa obtusa.
Phycella corusca.
« ignea.
Romulea Columnae.
Sandersonia aurantiaca.
Sarana camtschatica.
Scilla parviflora
Seubertia laxa.
Sparaxis Thuberti.
Stenomesson suspensum.
Symea gillesioides.
Tulipa pulcuella.
Triteleia Murrayana.
« porrifolia.
« uniflora.
Tropaeolum polyphyllum gracile.
« tricolor.
« « var.
Zephyranthes carinata rosea.
« verecunda.
Nr. 264—285 bulbi spec. ignot.

1904

1st LIST OF BULBS & PLANTS

offered by

Max Leichtlin — Baden-Baden.

Conditions:

All invoices of plants furnished during 1904 are due and payable in January 1905.
Orders booked in strict rotation.
No obligation to fill any order if crop be insufficient, wanting, or destroyed by vermin or weather.

	Quantity	Mark
Acer Van Volxemi the largest and most beautiful tree of the Caucasus; yearlings	ea	2
Agapanthus minor Leichtlinii, yearlings	12	3
strong plants	12	24
,, ***Saintpaulii*** dwarf and compact growing, very large umbels of pure white fl.	ea	8
Aster diplostephioides	12	48
,, ***Fremontii***	12	3
,, ***subcaeruleus***	12	3
Berberis Thunbergii fol. var. very striking	ea	6
Betonica grandiflora robusta sturdy growing	12	24
Bomarea aculeata crimson fl. hardy	ea	3
Campanula punctata alba seedlings	12	6
,, ***rupestris***	12	24
,, ***versicolor***	12	18
Codonopsis grandiflora	12	6
,, ***ovata***	12	48
Crataegus durobrivensis	12	24
Delphinium Duhmbergii	12	12
,, ***Brunonianum***	12	12
,, ***tatienense*** fl. pure white	12	18
Draba grandiflora	12	6
Frasera speciosa	12	24
Gentiana dahurica (all very showy)	12	36
,, ***macrophylla*** (all very showy)	12	24
,, ***scabra v. Bürgeriana*** (all very showy)	12	6
,, ***syphonantha*** (all very showy)	12	48
Gerbera Elsae	ea	10
,, ***Jamesonii***	ea	5
Gladiolus primrose spawl	1000	10
,, ***psittacinus***	12	6
,, ***sulphureus***	12	24
,, ***hybrids:***		
No. 349 American flag of the Lemoini section very elegant, small flowered, colour rose, white, sulphur, marroon blotch	12	60
The following are the very best of my own raisings and only one bulb can be disposed of: descriptions furnished to intending purchasers		
No. 320. 329. 333. 372. 395. 391. 412. 416. 417. 424.	ea	15
No. 309. 310. 363. 364. 382. 383. 384. 385. 391. 416. 442.	ea	5

	Quantity	Mark
Habranthus sp. e. Mexico new . .	12	36
Hepatica angulosa nivea superior to alba	ea	10
„ „ ***lilacina*** new, very free and large flowers	ea	12
Iris bosniaca	12	6
„ ***cashmiriana***	12	6
„ ***Clarkei***	12	18
„ ***decora***	12	30
„ ***Delavayi***	12	4
„ ***gracilipes*** clumps	12	24
„ ***Purdyi***	12	12
„ ***tectorum alba***	12	72
„ „ ***atrocoerulea***	ea	7
„ „ ***lilacina***	ea	7
„ ***tenax***	12	6
„ ***sp. Chittral***	12	24
Inula, grandiflora floribunda . . .	12	12
„ ***Royleana***	12	8
Incarvillea grandiflora yearlings	12	40
fl. larger and deeper in colour „	25	70
than those of Delavayi; „	50	130
also more floriferous. „	100	250
Lavatera cashmiriana fl. bright rose .	ea	3
Lilium albanicum new	12	18
„ ***Glehni*** small	12	8
„ ***giganteum yunnanense*** smaller than type, hardy	12	24
„ ***polyphyllum*** 2 years old . .	12	8
Liriope graminifolia	12	24
Lysimachia japonica	12	6
Mirabilis Froebelii fl. purple, new . .	12	24
Opulaster intermedius	12	12

	Quantity	Mark
Paeonia arborea Isis } raised here from seed large plants fl. deep magenta	ea	40
„ „ ***Osiris*** }		
„ ***oborata***	12	24
„ ***lutea*** extra strong	ea	70
Patrinia rupestris	12	8
„ ***scabiosaefolia***	12	8
Pelargonium Endlicherianum hardy	12	60
Pentstemon barbatus Torreyi . . .	12	12
„ ***caeruleus***	12	18
„ ***glaber alpinus***	12	12
„ ***gracilentus***	12	8
Phlomis cashmiriana	12	6
Platycodon Mariesi majus	12	6
Podophyllum Emodi majus	ea	6
„ ***versipelle orn. sp*** striking	ea	10
Primula capitellata	12	36
Przewalskya tangutica	12	12
Pulsatilla Regeliana	ea	8
Ramondia pyrenaica alba-rosea very strong, handsome variety	ea	8
Richardia Pentlandii strong	ea	5
„ ***intermedia*** robust and sturdy, stalkmarbled, leafes speckled, large yellow fl. small spot	ea	5
Solidago rigidiscula	12	6
„ ***spectabilis***	12	6
Statice Gmelini	12	8
Townsendia grandiflora	12	24
Tigridia hybrida Luther Burbanks, new,	12	8
yearlings	100	60

1904

3d LIST OF BULBS & PLANTS

offered by

Max Leichtlin — Baden-Baden.

Conditions:

All invoices of plants furnished during 1904 are due and payable in January 1905
Ordres booked in strict rotation.
No obligation to fill any order if crop be insufficient, wanting, or destroyed by vernin or weather.

	Quantity	Mark
Adenophora polymorpha beautiful rich and free flowering Campanula, very desirable	12	24
Agapanthus minor Leichtlinii numerous small blue flowers, hardy	12	36
„ ***Saintpaulii*** compact umbels of 50—200 white flowers . .	12	72
Anemone nemorosa Allenii Allen very showy large purple fl.	12	48
„ „ ***purpurea Allen*** .	12	24
„ „ ***Vestal Allen*** . .	12	24
„ ***globosa*** small crimson flowers	12	6
Arabis Ferdinandi Coburgi small alpine	ea	2
Arisaema amurense fl. green striped white	ea	2
„ ***n. sp. Hazara*** very distinct .	ea	2
Aster diplostephioides large well coloured fl.	12	30
„ ***subcaerulens***	12	4
Aubrietia tauricola . . . . clumps	ea	3
„ „ ***alba*** . . clumps	ea	4
Berberis Thunbergii variegata . .	ea	5
Betonica grandiflora robusta a sturdy variety, very free and showy . . .	12	12
„ „ ***superba*** a forthnight earlier than above, whorls lighter, distinct	12	12
Bomarea oculata fl. crimson, hardy . .	5	—
Campanula amabilis charming n. sp. flowerstem 2—3 feet, many branched, fl. large, numerous of a lovely blue	ea	10
„ ***mirabilis***	ea	2
„ ***punctata alba***	12	6
„ ***versicolor***	12	15
Chrysanthemum sinense var. japonicum	12	12
Cnicus involucratus	12	24
Delphinium Brunonianum	12	6
„ ***cashmirianum nobile*** a variety raised here, very showy and of striking beauty, entire edition 10 plants . .	—	250
„ ***dictyocarpum***	12	6
„ ***grandiflorum fl. pleno*** .	12	24
Draba elegans	12	12
„ ***grandiflora***	12	6
Eremurus Elwesianus	ea	6
„ ***himalaicus***	ea	4
„ ***Bungei*** fl. size	ea	7
„ „ 2 years	100	20
„ „ ***praecox*** 4 weeks earlier than above fl size. . . .	ea	10—15

	Quantity	Mark
Eremurus Bungei praecox yearlings .	12	24
„ ***Warei*** a most distinct stately plant, true to name, flowers yellow. yearlings	100	200
„ „ 2 years old	12	36
„ „ 3 „ „	ea	8
Frasera speciosa fl. lilac, pentstemon like	12	12
Gentiana Andrewsii	12	12
„ ***dahurica*** very striking . .	12	24
„ ***Olivieri var. glomerata*** one of the handsomest; fl. in big clusters of glistening blue . .	12	48
Gerbera Jamesoni strong	ea	4
„ ***Elsae*** „	ea	8
Hepatica angulosa nivea	ea	6
„ „ ***lilacina***	ea	5
Inula acaulis a pretty alpine	ea	5
„ ***grandiflora floribunda*** . . .	12	10
„ ***Royleana***	12	10
Incarvillea grandiflora fl. larger and deeper in colour than Delavayi 2 years old to flower in 1905	12	48
2 „ „ smaller	12	36
yearlings	12	24
„ ***compacta*** 2 years	12	96
yearlings	12	48
Iris asiatica	12	4
„ ***Bludowi***	12	4
„ ***bosniaca***	12	4
„ ***bracteata***	12	12
„ ***cashmiriana***	12	4
„ ***decora***	12	18
„ ***Delavayi***	12	6
„ ***gracilipes***	12	30
„ ***Straussii***	12	6
„ ***tectorum***	12	4
„ „ ***lilacina***	12	18
„ „ ***alba*** beautiful snow white variety	12	36

	Quantity	Mark
Iris tenax	12	6
Lathyrus Davidii	12	30
„ ***grandiflorus floribundus*** a free flowering variety . . .	12	36
„ ***latifolius albus grandiflorus (Hobbies)*** a first class novelty flowers very full and large . .	12	60
„ ***Mulkak*** n. sp. similar to latifolius but 4 weeks earlier fl. deeper in colour and fragrant	12	90
Lavatera cashmiriana numerous rose fl.	12	36
Liatris scariosa early var.	12	12
„ „ ***late var.***	12	18
Lilium albanicum	12	15
„ ***cordifolium*** 2 years	12	12
„ ***giganteum yunnanense*** strong	12	36
„ ***Glehni*** 3 years	12	18
„ ***philippinense***		
„ ***polyphyllum*** 3 years	12	18
Linaria pallida fl. larger than cymbalaria	12	6
Liriope graminifolia very showy . .	12	24
Lychnis Sartorii	12	18
Lysimachia Fortunei fl. white . . .	12	12
„ ***japonica*** fl. large yellow .	12	6
Macrotomia echioides (Arnebia) . .	100	80
Mertensia primuloides	ea	5
Omphalodes Luciliae	ea	5
Opulaster intermedius	12	12
Paeonia obovata flowers white, stamens red	12	24
Papaver bracteatum praecox . . .	12	6
Parrya Menziesii	12	24
Pelargonium Endlicherianum clumps	12	36
Patrinia hispida } umbellate, very showy yellow fl.	12	24
„ ***rupestris*** }	12	12
„ ***scabiosaefolia*** }	12	12
Pentstemon Jamesii	12	10
„ ***caeruleus*** very handsome turquoise blue	12	18

	Quantity	Mark
Pentstemon glaber alpinus bright azure-blue large flowers, plant dwarf	12	12
„ ***gracilentus***	12	12
„ ***gracilis***	12	18
Philadelphus sp. Yunnan fl. pure white very free	12	12
Physoptychis gnaphalioides	12	24
Physalidium stylosum	12	12
Plantago maxima	12	12
Platycodon autumnale glaucum . .	12	12
„ ***Mariesii macranthum*** .	12	6
„ „ ***maximum*** fl. three times as large as those of type a splendid acquisition. Edition	—	200
Podophyllum Emodi majus	ea	5
„ ***n. sp. perhaps versipelle***	ea	5
Polygonum sphaerostachyum . . .	12	18
Primula acanlis and elatior blue selected strain	12	6
„ ***capitellata***	12	18
Przewalskya tangutica	12	12
Pulsatilla albana	12	24
Pulsatilla Bungeana fl. greenisch . .	12	24
„ ***Regeliana*** fl. violet . . .	12	36
„ ***patens ochroleuca*** fl. yellow	ea	3
Pyrethrum hololeucum	12	12
Rheum Ribes	ea	3
„ ***palmatum fl. rubris*** . . .	12	24
Sandersonia aurantiaca	ea	5
Scabiosa japonica pretty large lilac fl.	12	12
Silene Hookeri fl. rose large deeply cut a splendid alpine fig. Bot Mag.	12	60
Solidago rigidiscula	12	6
„ ***spectabilis***	12	6
Stachys lavandulaefolia	12	6
Statice Gmelinii	12	12
Trillium Wrayi fl. large, white, leafes mottled	ea	3
Zelkowa Davidii	ea	2

Seeds:

Paeonia lutea	ea	1

	Quantity	Mark
Psoralea macrostachya	12	12
,, ***subacanlis***	12	4
Pulsatilla cernua	12	12
,, ***Regeliana***	12	12
Rheum Ribes	ea	4
Rodgersia tabularis n. sp. looks promising only small plants. . .	12	96
Salvia Przewalskyi	—	—
,, ***n. sp.*** very large blue flowers .	ea	4
Sandersonia aurantiaca	12	48
Silene Hookeri	12	48
Symphitum albiflorum	ea	5
Senecio Clifforum	12	6
Tropaeolum Leichtlinii	12	4

Curtis's Botanical Magazine

a clean complete set from the beginning to 1906 *M 3000.—*
= £ 150.—

1905

1st LIST OF BULBS & PLANTS

offered by

Max Leichtlin — Baden-Baden.

Conditions:

All invoices of plants furnished during 1905 are due and payable in January 1906.
Orders booked in strict rotation.
No obligation to fill any order if crop be insufficient, wanting, or destroyed by vernin or weather.

	Quantity	Mark
Adenophora polymorpha, beautiful rich and free flowering Campanula . . .	12	12
Agapapthus minor Leichtlinii numerous small blue flowers, hardy . .	12	18
Anemone patens	12	12
„ „ ***Nuttalliana alba*** .	12	12
Aquilegia vulgaris var, pubiflora .	12	4
Aster diplostephioides large well coloured fl.	12	6
Aubrictia tauricola clumps	ea	2
„ „ ***alba*** clumps . . .	ea	3
„ ***deltoidea lavender*** large fl. clumps	ea	2
Berberis Thunbergii variegata very pretty, strong	ea	5
Betonica grandiflora robusta . . .	12	6
„ „ ***superba*** . . .	12	6
Campanula phyctidocalyx syn. amabilis	ea	10
„ ***versicolor***	12	12
Codonopsis ovata	12	6
Delphinium dictyocarpum	12	4
Gentiana Andrewsii	12	6
„ ***dahurica*** very striking . .	12	12
„ ***Olivieri glomerata*** one of the handsomest, flowers in big clusters of glistening blue . .	12	24
„ ***sp.*** fl. turquoise blue, splendid	12	36
Gentiana sp. fl. white	12	24
Gerbera Jamesonii	12	24
„ ***Elsae***	ea	6
Hepatica angulosa lilacina clumps .	ea	2
„ „ ***nivea*** better than alba, 2 years seedlings .	12	24
„ „ „ stronger . .	12	30-60
Inula grandiflora floribunda . . .	12	8
„ ***Royleana***	12	8
Incarvillea grandiflora fl. larger and deeper coloured than Delavayi, yearlings . . .	not less than 100	80
„ „ selected yearlings	12	18
„ „ 2 years old . .	12	30
„ „ 3 „ old . .	12	42
„ ***compacta*** new, 2 years old	12	60
Iris bracteata	12	6
„ ***Delavayi***	12	4
„ ***decora***	12	12
„ ***gracilipes***	12	30
„ ***Hookeriana***	12	—
„ ***Kingiana***	12	—
„ ***setosa*** original	12	12
„ ***Sintenisii***	12	12
„ ***tenax***	12	4

	Quantity	Mark
Iris tectorum lilacina	12	12
„ „ ***alba*** very good	12	24
Lilium giganteum yunnanense strong	12	24
„ ***Glehni*** 3 years	12	12
Liatris scariosa early var.	12	8
„ „ ***late var.***	12	8
Littonia modesta	12	12
Lychnis Sartorii	12	9
Lysimachia japonica fl. large yellow .	12	4
„ ***Fortunei*** fl. white . . .	12	4
Mirabilis Froebelii	ea	3
Omphalodes Luciliae	ea	5
Paeonia obovata yearlings	12	12
„ ***Mlocosewitschi***	12	24
Parrya Menziesii	12	24
Patrinia rupestris	12	12
„ ***scabiosaefolia***	12	4
Pelargonium Endlicherianum hardy, clumps	12	36
Pentstemon coeruleus	12	12
„ ***glaber alpinus***	12	12
„ ***gracilentus***	12	12

	Quantity	Mark
Przewalskia tangutica	12	12
Platycodon glaucum n. sp., very elegant & floriferous	12	8
Podophyllum Emodi majus	ea	5
„ ***n. sp.***	ea	5
Polygonum sphaerostachyum . . .	12	12
Psoralea subacaulis	12	6
Primula capitellata	12	12
„ ***deorum*** new from Bulgaria fl. large violett	12	18
„ ***blue, veris & elatior*** finest strain	12	3
Pulsatilla Regeliana fl. violett . . .	12	24
Rodgersia pinnata, clump	ea	25
Sandersonia aurantiaca this has become rather rare	12	60
Solidago spectabilis	12	4
Stachys lavandulaefolia	12	4
Gladiolus hybr. American Flag of the Lemoinei section, large spikes of small very numerous fl., rose, white yellow and maroon; very useful for arrangements	12	12

1906

LAST LIST OF PLANTS

offered by

Max Leichtlin — Baden-Baden.

Conditions:

All invoices of plants furnished during 1906 are due and payable in January 1907 at Baden-Baden.
Orders booked in strict rotation.
No obligation to fill any order if crop be insufficient, wanting, or destroyed.

	Quantity	Mark
Abronia latifolia n. sp.	12	12
Aconitum n. sp. from Lake Baikal fl. purple	ea	2
„ ***5167*** from Szetchuen, China .	12	9
„ ***5170*** „ „ „ fl. wooly blue purple .	12	6
Actaea eburnea	12	9
Adenophora polymorpha	12	4
„ „ ***alba*** seedlings	12	6
„ ***Potanini alba*** seedlings .	12	12
Agapanthus minor Leichtlinii hardy	12	6
„ ***St. Pauli*** sturdy growing, compact umbellas of white flowers, np to 60 in one umbella, hardy	12	18
Anemone 5119 & 5121 from China .	12	12
„ ***elongata***	12	4
„ ***intermedia*** fl. sulphur yellow in early spring	12	12
„ ***nemorosa purpurea*** . . .	12	8
„ „ ***Alleni***	12	12
„ „ „***Vestal***“ all three very handsonne additions to the springflora	12	6
„ ***nikkoensis***	ea	1
„ ***vitifolia***	12	4
Aplopappus Parryi fl. yellow	12	4
Aquilegia flabellata forma stellata .	12	4
„ ***pubiflora***	12	6
„ ***sp. 5170 from China*** . .	12	4
Arisaema sp. fr. Hazara	12	4
Arnebia echioides young plants . . .	100	20
„ „ strong	100	40
Arum n. sp. China 5106	12	6
„ „ „ „ ***5112***	12	6
Aster subcaeruleus	12	3
„ „ ***variegatus*** 2 plants only a very striking novelty, the prettiest variegation ever seen . .		25
Astilbe Davidii	12	6
„ ***n. sp.***	12	12
Aubrietia deltoidea rosea purest rose coloured	12	12
„ „ ***Lilac Queen*** .	12	12
„ ***tauricola alba***	12	6
Bellis rotundifolia caerulea	12	4
Betonica grandiflora superba . . .	12	4
Bomarea Salsilla fl. crimson quite hardy	12	24
Campanula phyctidocalyx	12	4
„ „ ***alba*** . .	ea	5
„ ***alaskana*** n. sp.	12	6
„ ***Beauverdiana n. sp.*** . .	12	6
„ „ ***pruinosa***	12	6
„ ***n. sp. Szetchuen*** . . .	12	12

	Quantity	Mark
Clematis Douglasii	12	6
„ ***Fremontii superba***	12	4
„ ***coccinea***	12	6
Colchicum autumnale albo pl. . . .	12	36
Centaurea n. sp. large grey leaves, dwarf fl. 2 inches across white and rose striking	12	24
Composite n. sp. Szetchuan	12	6
Coussinia Thomsoni n. sp. Chamaepence like	ea	2
Crambe Kotschyana large plant highly decorative . . .	12	18
Crocosma spec. hardy	12	12
Cynoglossum cheirifolium	12	6
„ ***furcatum var. amabile*** fl. larger than type flowering 6 weeks	12	6
Daphne n. sp. flowers yellow from China	ea	5
Delphinium Belladonna grandiflorum flowers much larger of perfect form a first class plant; clumps	12	48
„ ***decorum stachydeum*** perennial rootstock, fl. large and numerous of a glistening blue, good for bouquets .	12	24
„ ***divaricatum***	12	6
„ ***Geyeri*** shining dwarf . .	12	12
„ ***grandiflorum sibiricum***	12	6
„ ***tatienense***	12	4
Draba grandiflora	12	12
Eremurus altaicus 80 yearlings . . .		8
„ ***Bungei praecox*** 12 2 years old . . .		36
„ „ „ flowering .	ea	7
„ „ ***perfectus*** 25 yearlings		10
„ „ „ flowering .	ea	10
„ ***Elwesianus*** 16 3 years old		5
„ ***isabellinus*** 20 yearlings . .		30
Eremurus Kaufmanni 3 2 years old .		6
„ ***lactiflorus n. sp.*** 8 yearlings		30
„ ***Olgae × Bungei*** 10 3 years old		30
„ ***spectabilis marginatus*** 40 yearlings		10
„ ***Warei*** 2 years old fl. yellow	12	12
„ „ 3 years old	12	30
„ „ 4 years old	12	48
„ „ ***white*** 4 years . . .	12	60
„ „ ***fleshcoloured*** 3 years	12	36
„ „ ***chamois*** 3 years .	12	36
Erigeron salsuginosus said to be the most showy of this family . .	12	8
Fritillaria Hookeri		10
Gentiana alba	12	6
„ ***dahurica***	12	6
„ ***elegans***	12	6
„ ***Kurroo*** this seems to be a better and more floriferous sp. it has 6 whorls of numerous flowers shining blue and white inside a few plants only . .	ea	3
„ ***Olivieri***	12	6
„ ***Przewalskyi***	12	6
„ ***sp. Baikal Sea***	12	4
„ „ ***4998. 5164 Szetchuan***	12	12
„ „ ***fl. white***	12	6
„ ***straminea***	12	6
„ ***syphonantha***	12	6
Geranium polyanthes	ea	2
Gladiolus primulinus		
Habranthus luteus	12	12
„ ***sp. St. Paul***	12	6
Hedera helix fol. variegatis	12	4
Hepatica angulosa nivea better than alba	12	6
Incarvillea compacta strong	12	18
„ ***grandiflora*** strong . . .	12	12

	Quantity	Mark
Incarvillea n. sp. 4 smalland 2 stronger roots it is likely to be either Principis or lutea		36
„ ***sinensis***	12	6
Inula grandiflora floribunda . . .	12	6
„ ***Montbretii***	12	6
„ ***Royleana***	12	4
Iris albo purpurea	12	12
„ ***asiatica***	„	4
„ ***bracteata***	„	6
„ ***Delavayi***	„	4
„ ***Clarkei***	„	4
„ ***decora***	„	4
„ ***Bungei***	„	3
„ ***Hookeriana***	„	30
„ ***Lamancei***	„	3
„ ***setosa***	„	3
„ ***Strausii***	„	3
„ ***suaveolens***	„	3
„ ***tectorum alba***	„	8
„ „ „ ***semipleno*** . .	„	24
„ ***tenax***	„	3
„ ***sp. fr. Hazara*** one clump; new sp. in form as well as colour a beauty .		10
Kniphofia Northiae the largest flowered of all K. figured in Bot. Mag.	12	8
Lathyrus grandiflorus	„	6
„ ***Mulkak***	„	12
„ ***montanus var. orientalis*** .	„	6
„ ***splendens***	„	12
„ ***pubescens***	ea	2
„ ***undulatus***	12	12
Liatris scariosa late var.	„	4
„ „ ***early var.***	„	4
„ ***graminifolia var. pilosa*** . .	„	24
Lilium Yoshidaii n. sp. a striking beauty	„	24
„ ***cordifolium***	„	3

	Quantity	Mark
Lilium giganteum yunnanense . .	12	12
Littonia modesta	„	4
Lychnis fulgens	„	3
„ „ ***alba***	ea	2
„ „ ***aurantiaca***	ea	3
„ ***Sartorii***	12	3
Lysimachia japonica	„	4
Macrotomia (Arnebia) cephalotes a very rare and most beautiful plant from the heights of Asia minor, offered for the first time; it is a giant Arnebia heads 1 foot through	ea	8
Mertensia echioides clumps	ea	5
„ ***primuloides*** „	12	24
„ ***sp.*** fl. deeper in colour, plant larger	„	24
Onosma bracteatum	ea	3
Paeonia decora	12	4
„ ***Emodi***	ea	2
„ ***lutea*** ea 2.50. 5. and 7.50		
„ ***Mlakosewitsii*** fl. sulphur yellow n. sp.	ea	21
„ ***obovata*** fl. white, stameus crimson	12	6
„ ***Moutan „Gloria Belgarum“***	ea	21
„ ***sp. Taygetos n. dwarf*** . .	12	6
„ ***Wittmanniana***	„	30
Patrinia hispida	„	6
„ ***heterophylla*** flowers white .	„	4
„ ***rupestris***	„	6
Pelargonium Endlicherianum . . .	„	6
Pentstemon caeruleus	„	4
„ ***glaber alpinus***	„	4
„ ***gracilis***	„	4
„ ***Jamesii***	„	4
Platycodon Mariesii majus	„	6
„ ***glaucus*** distinct elegant .	„	6
Polygonum sphaerostachyum . . .	„	9

	Quantity	Mark
Podophyllum n. sp. from China . .	12	12
Primula „Evelyn Arkwright“ . . .	„	6
Psoralea subacaulis	„	4
Pulsatilla albana	„	12
„ ***cernua***	„	4
„ ***patens lutea***	„	6
„ ***Regeliana***	„	4
Rheum Ribes	ea	5
„ ***palmatum flor. rubris*** . . .	12	12
Rodgersia pinnata	„	12
„ ***tabularis*** a very decorative plant	„	30
Salvia sp. large blue	ea	3
Sandersonia aurantiaca	12	24
Scabiosa Olgae	„	12
Senecio Clivorum	„	6
„ ***erubescens***	„	4
Silene Fortunei	„	12
„ ***Hookeri***	„	36
Sternbergia lutea Plattensee var. . .	„	10
Solidago nana very good, dwarf . . .	„	9
Tropaeolum Leichtlinii	„	4
„ ***polyphullum***	„	4
Verbascum glomeratum n. sp.	-	6